
Content	Family Suites - Familien	4
Inhalt	Decorative table lamps - Dekorative Tischleuchten	86
	Floorlamps - Standleuchten	94
	Halogen pendants - Halogen Pendelleuchten	97
	Uplighter - Fluter	102
	Incandescent pendants - AGL Pendelleuchten	103
	Desk lamps - Schreibtischleuchten	106
	Halogen spot lights - Halogen Spots	109
	Energy saving spot lights - Energiesparspots	134
	Incandescent spot lights - AGL Spots	139
	Function lamps - Wand- & Deckenleuchten	144
	Function lamps - Wand- & Deckenleuchten	154
	System "Vario" - System "Vario"	155





1



2

DORETT


1 87969/55 E

E14, C35 \varnothing max. 6 × 60W
 55, rust colour
 S25, metal/glass
 650mm 1300mm \varnothing
 590mm
 CE ∇ \oplus AC


2 87976/55 E


E14, C35 \varnothing max. 3 × 60W
 55, rust colour
 S25, metal/glass
 520mm 1100mm \varnothing
 450mm
 CE ∇ \oplus AC








RIA

1 88248/05 **E** 


E14, D45  max. 1 × 60W


 05, white


 S25, metal/glass


 380mm Ø 160mm


CE   AC

2 88255/05 **E** 

E27, A60  max. 1 × 100W


 05, white


 S25, metal/glass


 1590mm Ø 300mm


CE   AC

3 88270/05 **E**

E27, A60  max. 1 × 100W


 05, white

 S25, metal/glass

 1110mm Ø 300mm

CE   AC





RIA

1 88248/06 **E**

E14, D45 max. 1 × 60W

06, black

S25, metal/glass

380mm Ø 160mm

CE AC

2 88255/06 **E**

E27, A60 max. 1 × 100W

06, black

S25, metal/glass

1590mm Ø 300mm

CE AC

3 88270/06 **E**

E27, A60 max. 1 × 100W

06, black

S25, metal/glass

1110mm Ø 300mm

CE AC





ESPRIT

1 84159/06

E14, D45 max. 3 × 40W
 06, black pearl
 S25, metal/glass
 1600mm 210mm
 AC

2 84148/06

E14, D45 max. 1 × 40W
 06, black pearl
 S25, metal/glass
 335mm 210mm 120mm
 AC

3 G84190/06

12 V G4, QT-LP9
 max. 12 × 10W
 06, black pearl
 S25, metal/glass
 230V

4 G84198/06

12 V G4, QT-LP9
 max. 18 × 10W
 06, black pearl
 S25, metal/glass
 230V





2



4



3



1

PANDORA

1 G52643/07

12 V G4, QT-LP9
 max. 3 × 20W
 ☑ 07, satin chrome/orange
 ☑ S25, metal/glass
 ☑ 490mm Ø 130mm
 CE 230V

2 G52656/07

12 V G4, QT-LP9
 max. 6 × 20W
 ☑ 07, satin chrome/orange
 ☑ S25, metal/glass
 ☑ 1500mm Ø 200mm
 CE 230V

3 G52673/07

12 V G4, QT-LP9
 max. 5 × 20W
 ☑ 07, satin chrome/orange
 ☑ S25, metal/glass
 ☑ 510mm Ø 270mm
 CE 230V

4 G52693/07

12 V G4, QT-LP9
 max. 3 × 20W
 ☑ 07, satin chrome/orange
 ☑ S25, metal/glass
 ☑ 380mm ☑ 130mm ☑ 180mm
 CE 230V





2



4



3



1

PANDORA

1 G52643/71

12 V G4, QT-LP9
 max. 3 × 20W
 ☑ 71, satin chrome/red
 ☑ S25, metal/glass
 ☑ 490mm Ø 130mm
 CE 230V

2 G52656/71

12 V G4, QT-LP9
 max. 6 × 20W
 ☑ 71, satin chrome/red
 ☑ S25, metal/glass
 ☑ 1500mm Ø 200mm
 CE 230V


3 G52673/71

12 V G4, QT-LP9
 max. 5 × 20W
 ☑ 71, satin chrome/red
 ☑ S25, metal/glass
 ☑ 510mm Ø 270mm
 CE 230V

4 G52693/71

12 V G4, QT-LP9
 max. 3 × 20W
 ☑ 71, satin chrome/red
 ☑ S25, metal/glass
 ☑ 380mm ☑ 130mm ☑ 180mm
 CE 230V







2



1



4



3

XENIA

1 G05648/71

G9, QT14 max. 1 × 60W
 71, satin chrome/red
 S33, metal/plastic/glass
 500mm 280mm
 CE AC

2 G05658/71

G9, QT14 max. 1 × 60W
 71, satin chrome/red
 S33, metal/plastic/glass
 1500mm 330mm
 CE AC

3 G05670/71

G9, QT14 max. 1 × 60W
 71, satin chrome/red
 S33, metal/plastic/glass
 1400mm 280mm
 CE AC

4 G05676/71

G9, QT14 max. 3 × 60W
 71, satin chrome/red
 S33, metal/plastic/glass
 1400mm 910mm
 CE AC





2



4



3



1

PANDORA

1 G52643/73

12 V G4, QT-LP9
 max. 3 × 20W
 ☑ 73, satin chrome/blue
 ☑ S25, metal/glass
 ☑ 490mm ø 130mm
 CE 230V

2 G52656/73

12 V G4, QT-LP9
 max. 6 × 20W
 ☑ 73, satin chrome/blue
 ☑ S25, metal/glass
 ☑ 1500mm ø 200mm
 CE 230V

3 G52673/73

12 V G4, QT-LP9
 max. 5 × 20W
 ☑ 73, satin chrome/blue
 ☑ S25, metal/glass
 ☑ 510mm ø 270mm
 CE 230V

4 G52693/73

12 V G4, QT-LP9
 max. 3 × 20W
 ☑ 73, satin chrome/blue
 ☑ S25, metal/glass
 ☑ 380mm ☑ 130mm ☑ 180mm
 CE 230V





MATILDA

1 G75611/77
 E27, TC-DSE max. 1 x 7W
 77, satin chrome/chrome
 S25, metal/glass
 250mm 95mm ø 110mm
 CE AC

2 G75648/77
 E27, TC-DSE max. 1 x 7W
 77, satin chrome/chrome
 S25, metal/glass
 475mm ø 125mm
 CE AC

3 G75673/77
 E27, TC-DSE max. 5 x 7W
 77, satin chrome/chrome
 S25, metal/glass
 95mm ø 530mm
 CE AC

4 G75680/77
 E27, TC-DSE max. 7 x 7W
 77, satin chrome/chrome
 S25, metal/glass
 190mm ø 700mm
 CE AC

5 G75692/77
 E27, TC-DSE max. 2 x 7W
 77, satin chrome/chrome
 S25, metal/glass
 380mm 95mm ø 110mm
 CE AC





ANASTASIA

1 G75843/15

12 V G4, QT-LP9
max. 3 × 20W

15, chrome

S25, metal/glass

570mm 400mm

CE 230V

2 G75880/15

12 V G4, QT-LP9
max. 10 × 10W

15, chrome

S25, metal/glass

1050mm 600mm

CE 230V

3 G75892/15

12 V G4, QT-LP9
max. 12 × 10W

15, chrome

S25, metal/glass

1000mm 1200mm

CE 230V

4 G75893/15

12 V G4, QT-LP9
max. 3 × 20W

15, chrome

S25, metal/glass

400mm 400mm 240mm

CE 230V

5 G75898/15

12 V G4, QT-LP9
max. 8 × 10W


15, chrome

S25, metal/glass

1570mm 560mm






CE 230V










NASH







1 G82552/15

12 V G4, QT-LP9 
 max. 12 × 10W
 ☑ 15, chrome
 ☑ S25, metal/glass
 ☑ 1600mm Ø 400mm
 CE    230V 






2 G82592/15

12 V G4, QT-LP9 
 max. 12 × 10W
 ☑ 15, chrome
 ☑ S25, metal/glass
 ☑ 1100mm Ø 480mm
 CE    230V 




3 G82593/15

12 V G4, QT-LP9 
 max. 3 × 20W
 ☑ 15, chrome
 ☑ S25, metal/glass
 ☑ 400mm  180mm Ø 130mm
 CE    230V 

4 G82595/15

12 V G4, QT-LP9 
 max. 5 × 10W
 ☑ 15, chrome
 ☑ S25, metal/glass
 ☑ 565mm Ø 155mm
 CE    230V 

5 G82506/15

12 V G4, QT-LP9 
 max. 6 × 10W
 ☑ 15, chrome
 ☑ S25, metal/glass
 ☑ 240mm Ø 430mm
 CE    230V 





1



2


KYRILLA


1 G90129/15

12 V G4, QT-LP9
 max. 9 × 10W
 15, chrome
 S25, metal/glass
 450mm ø 320mm
 CE 230V

2 G90130/15

12 V G4, QT-LP9
 max. 18 × 10W
 15, chrome
 S25, metal/glass
 350mm ø 700mm
 CE 230V





PLACIDA

1 G90140/15

12 V G4, QT-LP9
 max. 13 × 10W
 15, chrome
 S20, metal
 550mm 550mm 350mm
 CE 230V

2 G90141/15


12 V G4, QT-LP9
 max. 16 × 10W
 15, chrome
 S20, metal
 350mm ø 600mm
 CE 230V







CHARIS


1 G90382/15 

12 V G4, QT-LP9 

max. 20 × 10W

 15, chrome

 S25, metal/glass


 350mm ø 650mm

CE     230V 







MALINA


1 G93214/15 

12 V G4, QT-LP9 \Leftrightarrow max. 5 \times 20W

12 V QT-LP9 \Leftrightarrow max. 5 \times 10W

 15, chrome

 S25, metal/glass

 1450mm \varnothing 400mm

CE    230V 





LORENA

1 G53381/15

12 V G4, QT-LP9
 max. 11 × 10W
 ☑ 15, chrome/transparent
 ☑ S25, metal/glass
 ☐ 1200mm ☐ 910mm Ø
 160mm
 CE 230V

2 G53348/15

12 V G4, QT-LP9
 max. 5 × 10W
 ☑ 15, chrome/transparent
 ☑ S25, metal/glass
 ☐ 400mm Ø 165mm
 CE 230V


3 G53352/15

12 V G4, QT-LP9
 max. 12 × 10W
 ☑ 15, chrome/transparent
 ☑ S25, metal/glass
 ☐ 1430mm Ø 230mm
 CE 230V

4 G53373/15

12 V G4, QT-LP9
 max. 5 × 10W
 ☑ 15, chrome/transparent
 ☑ S32, metal/plastic
 ☐ 1500mm Ø 160mm
 CE 230V





BLOSSOM

1 G31246/15

12 V G4, QT-LP9
 max. 6 × 10W
 15, chrome
 S25, metal/glass
 600mm ø 300mm
 CE 230V

2 G31256/15

12 V G4, QT-LP9
 max. 6 × 20W
 15, chrome
 S25, metal/glass
 1400mm ø 480mm
 CE 230V

3 G31277/15

12 V G4, QT-LP9
 max. 7 × 20W
 15, chrome
 S25, metal/glass
 1060mm ø 340mm
 CE 230V

4 G31293/15

12 V G4, QT-LP9
 max. 3 × 20W
 15, chrome
 S25, metal/glass
 350mm ø 240mm ø 110mm
 CE 230V

5 G31280/15

12 V G4, QT-LP9
 max. 8 × 20W
 15, chrome
 S25, metal/glass
 220mm ø 750mm
 CE 230V





PHANTOM

1 G77447/15

12 V G4, QT-LP9
 max. 1 × 20W
 ☑ 15, chrome/white
 ☑ S25, metal/glass
 ☑ 350mm Ø 90mm
 CE 230V

2 G77485/15

12 V G4, QT-LP9
 max. 13 × 10W
 ☑ 15, chrome/white
 ☑ S25, metal/glass
 ☑ 1100mm Ø 660mm
 CE 230V

3 G77490/15

12 V G4, QT-LP9
 max. 10 × 10W
 ☑ 15, chrome/white
 ☑ S25, metal/glass
 ☑ 280mm Ø 720mm
 CE 230V

4 G77495/15

12 V G4, QT-LP9
 max. 13 × 10W
 ☑ 15, chrome/white
 ☑ S25, metal/glass
 ☑ 500mm Ø 700mm
 CE 230V

5 G77480/15

12 V G4, QT-LP9
 max. 20 × 10W
 ☑ 15, chrome/white
 ☑ S25, metal/glass
 ☑ 900mm Ø 350mm
 CE 230V





LIBERTY

1 G82973/15


G9, QT14 max. 5 × 40W
 15, chrome/transparent
 S25, metal/glass
 1400mm Ø 500mm
 CE AC

2 G82990/15

G9, QT14 max. 9 × 25W
 15, chrome/transparent
 S25, metal/glass
 1400mm Ø 600mm
 CE AC

3 G82992/15

G9, QT14 max. 2 × 40W
 15, chrome/transparent
 S25, metal/glass
 250mm 375mm 155mm
 CE AC





EDDA

1 G66906/15

12 V G4, QT-LP9
 max. 6 × 10W
 15, chrome
 S25, metal/glass
 90mm ø 320mm
 CE 230V

2 G66955/15

12 V G4, QT-LP9
 max. 5 × 10W
 15, chrome
 S25, metal/glass
 1690mm ø 280mm
 CE 230V

3 G66973/15

12 V G4, QT-LP9
 max. 5 × 10W
 15, chrome
 S25, metal/glass
 880mm ø 280mm
 CE 230V

4 G66995/15

12 V G4, QT-LP9
 max. 5 × 10W
 15, chrome
 S25, metal/glass
 330mm ø 160mm
 CE 230V





1



2

LOULOU

1 G90026/15

12 V G4, QT-LP9
 max. 3 × 20W
 15, chrome
 S25, metal/glass
 200mm 550mm 155mm
 CE 230V


2 G90027/15

12 V G4, QT-LP9
 max. 9 × 20W
 15, chrome
 S25, metal/glass
 550mm 550mm 155mm
 CE 230V








CELINE

1 G90036/15 

G9, QT14  max. 6 × 40W

 15, chrome

 S25, metal/glass


 200mm ø 500mm


CE   AC 







CALLAS


1 G93218/15 

12 V G4, QT-LP9 

max. 7 × 20W


 15, chrome

 S25, metal/glass


 1450mm Ø 650mm






CE    230V 













FABIOLA






1 G88040/76  


12 V G4, QT-LP9 
 max. 10 × 10W
 ☑ 76, chrome/black
 ☑ S25, metal/glass
 ☑ 1650mm ø 650mm
 CE    230V 

2 G88095/76  

12 V G4, QT-LP9 
 max. 5 × 10W
 ☑ 76, chrome/black
 ☑ S25, metal/glass
 ☑ 650mm ø 420mm
 CE    230V 

3 G88099/76 

12 V G4, QT-LP9 
 max. 9 × 10W
 ☑ 76, chrome/black
 ☑ S25, metal/glass
 ☑ 300mm ø 900mm
 CE    230V 





1



2



3













5













4

XANDRA











1 G88343/76

12 V G4, QT-LP9 
 max. 3 × 20W
 76, chrome/black-transparent
 S25, metal/glass
 410mm  220mm
 CE     230V 











2 G88356/76

12 V G4, QT-LP9 
 max. 6 × 20W
 76, chrome/black-transparent
 S25, metal/glass
 1700mm  300mm
 CE     230V 












3 G88390/76

12 V G4, QT-LP9 
 max. 10 × 20W
 76, chrome/black-transparent
 S25, metal/glass
 1250mm  700mm
 CE     230V 


4 G88392/76

12 V G4, QT-LP9 
 max. 12 × 20W
 76, chrome/black-transparent
 S25, metal/glass
 1200mm  532mm
 CE     230V 

5 G88393/76









12 V G4, QT-LP9 
 max. 3 × 20W
 76, chrome/black-transparent
 S25, metal/glass
 290mm  240mm  150mm
 CE     230V 













ROMY









1 G88553/76

12 V G4, QT-LP9 
 max. 3 × 20W
 76, satin chrome/white-black strip
 S25, metal/glass
 390mm
 CE    230V 









2 G88559/76

12 V G4, QT-LP9 
 max. 3 × 20W
 76, satin chrome/white-black strip
 S25, metal/glass
 1380mm ø 220mm
 CE    230V 










3 G88590/76

12 V G4, QT-LP9 
 max. 12 × 10W
 76, satin chrome/white-black strip
 S25, metal/glass
 400mm ø 660mm
 CE    230V 


4 G88592/76

12 V G4, QT-LP9 
 max. 12 × 10W
 76, satin chrome/white-black strip
 S25, metal/glass
 1400mm ø 660mm
 CE    230V 



5 G88593/76







12 V G4, QT-LP9 
 max. 3 × 20W
 76, satin chrome/white-black strip
 S25, metal/glass
 420mm  130mm ø 130mm
 CE    230V 













LIBERTY


1 82948/76  

E14, C35  max. 1 × 40W
 76, chrome/black-transparent
 S37, metal/textile
 480mm Ø 240mm
 CE   230V

2 82958/76  

E27, A60  max. 1 × 60W
 76, chrome/black-transparent
 S37, metal/textile
 1580mm Ø 360mm
 CE   AC





TINA

1 G58673/76

12 V G4, QT-LP9
 max. 5 × 20W
 ☑ 76, chrome/black
 ☑ S25, metal/glass
 ☑ 965mm Ø 400mm
 CE 230V

2 G58692/76

12 V G4, QT-LP9
 max. 2 × 20W
 ☑ 76, chrome/black
 ☑ S25, metal/glass
 ☑ 280mm ☑ 200mm ☑ 140mm
 CE 230V

3 G58643/76

12 V G4, QT-LP9
 max. 3 × 20W
 ☑ 76, chrome/black
 ☑ S25, metal/glass
 ☑ 590mm Ø 300mm
 CE 230V

4 G58659/76

12 V G4, QT-LP9
 max. 3 × 20W
 ☑ 76, chrome/black
 ☑ S25, metal/glass
 ☑ 1530mm Ø 285mm
 CE 230V





MONI

1 G67073/76

12 V G4, QT-LP9
 max. 5 × 20W
 ☑ 76, white-black
 ☑ S25, metal/glass
 ☑ 350mm ø 900mm
 CE 230V

2 G67078/76


12 V G4, QT-LP9
 max. 8 × 10W
 ☑ 76, white-black
 ☑ S25, metal/glass
 ☑ 740mm ø 900mm
 CE 230V

3 G67095/76

12 V G4, QT-LP9
 max. 5 × 10W
 ☑ 76, white-black
 ☑ S25, metal/glass
 ☑ 550mm ø 430mm
 CE 230V

4 G67098/76

12 V G4, QT-LP9
 max. 8 × 10W
 ☑ 76, white-black
 ☑ S25, metal/glass
 ☑ 1780mm ø 560mm
 CE 230V





XANDRA

1 G88343/00

12 V G4, QT-LP9
 max. 3 × 20W
 ☑ 00, chrome/transparent
 ☑ S25, metal/glass
 Ⓢ 410mm Ⓢ 220mm
 CE 230V

2 G88356/00

12 V G4, QT-LP9
 max. 6 × 20W
 ☑ 00, chrome/transparent
 ☑ S25, metal/glass
 Ⓢ 1700mm Ⓢ 300mm
 CE 230V

3 G88390/00

12 V G4, QT-LP9
 max. 10 × 20W
 ☑ 00, chrome/transparent
 ☑ S25, metal/glass
 Ⓢ 1250mm Ⓢ 700mm
 CE 230V



4 G88392/00

12 V G4, QT-LP9
 max. 12 × 20W
 ☑ 00, chrome/transparent
 ☑ S25, metal/glass
 Ⓢ 1200mm Ⓢ 532mm
 CE 230V

5 G88393/00

12 V G4, QT-LP9
 max. 3 × 20W
 ☑ 00, chrome/transparent
 ☑ S25, metal/glass
 Ⓢ 290mm Ⓢ 240mm Ⓢ 150mm
 CE 230V





XENIA

1 G05648/00

G9, QT14 max. 1 × 60W
 00, satin chrome/transparent
 S33, metal/plastic/glass
 500mm 280mm
 CE AC

2 G05658/00

G9, QT14 max. 1 × 60W
 00, satin chrome/transparent
 S33, metal/plastic/glass
 1500mm 330mm
 CE AC


3 G05670/00

G9, QT14 max. 1 × 60W
 00, satin chrome/transparent
 S33, metal/plastic/glass
 1400mm 280mm
 CE AC

4 G05676/00






G9, QT14 max. 3 × 60W
 00, satin chrome/transparent
 S33, metal/plastic/glass
 1400mm 910mm
 CE AC










GARDINA






1 G57346/72

12 V G4, QT-LP9 
 max. 6 × 10W
 ☑ 72, chrome/Deco-red-green-transp.
 ☑ S25, metal/glass
 ☑ 380mm Ø 130mm
 CE    230V 






2 G57352/72

12 V G4, QT-LP9 
 max. 12 × 10W
 ☑ 72, chrome/Deco-red-green-transp.
 ☑ S25, metal/glass
 ☑ 1630mm Ø 220mm
 CE    230V 






3 G57390/72

12 V G4, QT-LP9 
 max. 12 × 10W
 ☑ 72, chrome/Deco-red-green-transp.
 ☑ S25, metal/glass
 ☑ 260mm Ø 650mm
 CE    230V 

4 G57392/72

12 V G4, QT-LP9 
 max. 12 × 10W
 ☑ 72, chrome/Deco-red-green-transp.
 ☑ S25, metal/glass
 ☑ 1050mm Ø 550mm
 CE    230V 

5 G57393/72

12 V G4, QT-LP9 
 max. 3 × 20W
 ☑ 72, chrome/Deco-red-green-transp.
 ☑ S25, metal/glass
 ☑ 420mm ☑ 230mm ☑ 60mm
 CE    230V 





LATINA

1 G57153/72

12 V G4, QT-LP9
 max. 3 × 20W
 72, multi-coloured
 S25, metal/glass
 445mm ø 100mm
 CE 230V

2 G57156/72

12 V G4, QT-LP9
 max. 6 × 20W
 72, multi-coloured
 S25, metal/glass
 1400mm ø 250mm
 CE 230V

3 G57190/72

12 V G4, QT-LP9
 max. 12 × 10W
 72, multi-coloured
 S25, metal/glass
 150mm ø 740mm
 CE 230V

4 G57192/72

12 V G4, QT-LP9
 max. 12 × 10W
 72, multi-coloured
 S25, metal/glass
 880mm ø 730mm
 CE 230V





FABIOLA

1 G88055/72

12 V G4, QT-LP9
 max. 5 × 20W
 72, multi-coloured
 S25, metal/glass
 1710mm ø 600mm
 CE 230V

2 G88090/72

12 V G4, QT-LP9
 max. 10 × 10W
 72, multi-coloured
 S25, metal/glass
 1080mm ø 750mm
 CE 230V

3 G88093/72

12 V G4, QT-LP9
 max. 3 × 20W
 72, multi-coloured
 S25, metal/glass
 450mm ø 330mm
 CE 230V


4 G88095/72

12 V G4, QT-LP9
 max. 5 × 10W
 72, multi-coloured
 S25, metal/glass
 650mm ø 420mm
 CE 230V

5 G88099/72

12 V G4, QT-LP9
 max. 9 × 10W
 72, multi-coloured
 S25, metal/glass
 300mm ø 900mm
 CE 230V





NASH

1 G82552/12

12 V G4, QT-LP9
 max. 12 × 10W
 12, gold plated
 S25, metal/glass
 1600mm ø 400mm
 CE 230V

2 G82592/12

12 V G4, QT-LP9
 max. 12 × 10W
 12, gold plated
 S25, metal/glass
 1100mm ø 480mm
 CE 230V

3 G82593/12

12 V G4, QT-LP9
 max. 3 × 20W
 12, gold plated
 S25, metal/glass
 400mm 180mm ø 130mm
 CE 230V

4 G82595/12

12 V G4, QT-LP9
 max. 5 × 10W
 12, gold plated
 S25, metal/glass
 565mm ø 155mm
 CE 230V

5 G82506/12

12 V G4, QT-LP9
 max. 6 × 10W
 12, gold plated
 S25, metal/glass
 240mm ø 430mm
 CE 230V





GARDINA

1 G57346/12

12 V G4, QT-LP9
 max. 6 × 10W
 ☑ 12, gold plated
 ☑ S25, metal/glass
 ☑ 380mm Ø 130mm
 CE 230V

2 G57352/12

12 V G4, QT-LP9
 max. 12 × 10W
 ☑ 12, gold plated
 ☑ S25, metal/glass
 ☑ 1630mm Ø 220mm
 CE 230V

3 G57390/12

12 V G4, QT-LP9
 max. 12 × 10W
 ☑ 12, gold plated
 ☑ S25, metal/glass
 ☑ 260mm Ø 650mm
 CE 230V

4 G57392/12

12 V G4, QT-LP9
 max. 12 × 10W
 ☑ 12, gold plated
 ☑ S25, metal/glass
 ☑ 1050mm Ø 550mm
 CE 230V

5 G57393/12

12 V G4, QT-LP9
 max. 3 × 20W
 ☑ 12, gold plated
 ☑ S25, metal/glass
 ☑ 420mm ☑ 230mm ☑ 60mm
 CE 230V





ANASTASIA

1 G75843/12

12 V G4, QT-LP9
max. 3 × 20W

12, gold plated
 S25, metal/glass
 570mm 400mm

CE 230V

2 G75880/12

12 V G4, QT-LP9
max. 10 × 10W

12, gold plated
 S25, metal/glass
 1050mm 600mm

CE 230V

3 G75892/12

12 V G4, QT-LP9
max. 12 × 10W

12, gold plated
 S25, metal/glass
 1000mm 1200mm

CE 230V

4 G75893/12

12 V G4, QT-LP9
max. 3 × 20W

12, gold plated
 S25, metal/glass
 400mm 400mm 240mm

CE 230V


5 G75898/12

12 V G4, QT-LP9
max. 8 × 10W

12, gold plated
 S25, metal/glass
 1570mm 560mm

CE 230V





SIGRID

1 G66143/10

12 V G4, QT-LP9
 max. 3 × 20W
 10, old copper/amber
 S25, metal/glass
 620mm ø 280mm
 CE 230V

2 G66164/10

12 V G4, QT-LP9
 max. 4 × 20W
 10, old copper/amber
 S25, metal/glass
 1480mm ø 400mm
 CE 230V

3 G66173/10

12 V G4, QT-LP9
 max. 5 × 20W
 10, old copper/amber
 S25, metal/glass
 900mm ø 590mm
 CE 230V

4 G66188/10

12 V G4, QT-LP9
 max. 7 × 20W
 10, old copper/amber
 S25, metal/glass
 160mm ø 660mm
 CE 230V

5 G66192/10

12 V G4, QT-LP9
 max. 2 × 20W
 10, old copper/amber
 S25, metal/glass
 290mm 380mm 160mm
 CE 230V





1



2



3



4

SPIRELLI

1 G66655/10

12 V G4, QT-LP9
 max. 5 × 20W
 10, old copper/amber
 S25, metal/glass
 1850mm ø 500mm
 CE 230V

2 G66690/10

12 V G4, QT-LP9
 max. 10 × 10W
 10, old copper/amber
 S25, metal/glass
 350mm ø 740mm
 CE 230V

3 G66693/10

12 V G4, QT-LP9
 max. 3 × 20W
 10, old copper/amber
 S25, metal/glass
 550mm ø 280mm
 CE 230V

4 G66695/10

12 V G4, QT-LP9
 max. 5 × 10W
 10, old copper/amber
 S25, metal/glass
 570mm ø 320mm
 CE 230V





FAJARA


1 84273/64 **E**

E14, C35 \varnothing max. 5 \times 40W
 64, black/purple
 S25, metal/glass
 1050mm \varnothing 450mm
 CE ∇ \oplus AC

2 84292/64 **E**


E14, C35 \varnothing max. 2 \times 40W
 64, black/purple
 S25, metal/glass
 350mm \varnothing 350mm \times 100mm
 CE ∇ \oplus AC







1


HELIUM

1 G57058/13 

G9, QT14  max. 1 × 40W

 13, satin chrome

 S25, metal/glass








 1250mm  850mm  220mm

CE   AC 







DORLE



02947/25







E14, D45  max. 1 × 40W
 C35  max. 1 × 40W
 25, white-strip
 G01, glas
 ∅ 200mm
   AC

02948/25







E27, A60  max. 1 × 60W
 25, white-strip
 G01, glas
 ∅ 250mm
   AC



02949/25

E27, A60  max. 1 × 60W
 25, white-strip
 G01, glas
 ∅ 300mm
   AC

02946/25

E14, D45  max. 1 × 25W
 25, white-strip
 G01, glas
 ∅ 150mm
   AC



DORLE



02947/26

E14, D45 max. 1 × 40W
 C35 max. 1 × 40W
 26, green-strip
 G01, glas
 ∅ 200mm
 AC



02948/26

E27, A60 max. 1 × 60W
 26, green-strip
 G01, glas
 ∅ 250mm
 AC



02949/26

E27, A60 max. 1 × 60W
 26, green-strip
 G01, glas
 ∅ 300mm
 AC

DORLE



02947/27

E14, D45 max. 1 × 40W
 C35 max. 1 × 40W
 27, red-strip
 G01, glas
 ∅ 200mm
 AC



02948/27

E27, A60 max. 1 × 60W
 27, red-strip
 G01, glas
 ∅ 250mm
 AC



02949/27

E27, A60 max. 1 × 60W
 27, red-strip
 G01, glas
 ∅ 300mm
 AC

DORLE



02948/70

E27, A60 max. 1 × 60W
☑ 70, brown-striped
☑ G01, glas
∅ 250mm
CE AC



02947/70

E14, D45 max. 1 × 40W
C35 max. 1 × 40W
☑ 70, brown-striped
☑ G01, glas
∅ 200mm
CE AC

DORLE



02948/77

E27, A60 max. 1 × 60W
☑ 77, orange-strip
☑ G01, glas
∅ 250mm
CE AC

TIM



76848/25
 E27, A60 max. 1 x 75W
 25, titan/white striped
 S25, metal/glass
 530mm ø 170mm
 AC



76848/26
 E27, A60 max. 1 x 75W
 26, titan/green-striped
 S25, metal/glass
 530mm ø 170mm
 AC



76848/27
 E27, A60 max. 1 x 75W
 27, titan/red-striped
 S25, metal/glass
 530mm ø 170mm
 AC

LOS ANGELES



G72247/24
 G9, QT14 max. 1 x 40W
 24, satin chrome/red-orange-alab.
 S25, metal/glass
 400mm ø 110mm
 AC



G72247/19
 G9, QT14 max. 1 x 40W
 19, old copper/red-orange-alab.
 S25, metal/glass
 400mm ø 110mm
 AC



G72247/18
 G9, QT14 max. 1 x 40W
 18, brushed brass
 S25, metal/glass
 400mm ø 110mm
 AC

HAPPY



G92616/02

12 V G4, QT9
 max. 1 × 20W
 02, yellow
 S32, metal/plastic
 290mm 90mm

CE 230V

G92616/04

12 V G4, QT9
 max. 1 × 20W
 04, green
 S32, metal/plastic
 290mm 90mm

CE 230V



G92616/07

12 V G4, QT9
 max. 1 × 20W
 07, orange
 S32, metal/plastic
 290mm 90mm

CE 230V

G92616/17

12 V G4, QT9
 max. 1 × 20W
 17, parma
 S32, metal/plastic
 290mm 90mm

CE 230V



ISI



02747/20
 E14, C35 max. 1 x 40W
 D45 max. 1 x 40W
 20, brown
 S32, metal/plastic
 380mm ø 140mm
 CE AC



02747/22
 E14, C35 max. 1 x 40W
 D45 max. 1 x 40W
 22, grey
 S32, metal/plastic
 380mm ø 140mm
 CE AC



02747/23
 E14, C35 max. 1 x 40W
 D45 max. 1 x 40W
 23, dark brown
 S32, metal/plastic
 380mm ø 140mm
 CE AC



02747/63
 E14, C35 max. 1 x 40W
 D45 max. 1 x 40W
 63, dark grey
 S32, metal/plastic
 380mm ø 140mm
 CE AC



02747/75
 E14, C35 max. 1 x 40W
 D45 max. 1 x 40W
 75, satin chrome/white Deco grey
 S32, metal/plastic
 380mm ø 140mm
 CE AC



JEANNE



92639/64

E27, A60 max. 1 × 60W
 ☑ 64, aubergine
 ☑ K04, ceramic/textile
 ☒ 600mm ø 315mm
 CE AC

GEROME



92641/64

E27, A60 max. 1 × 60W
 ☑ 64, black/purple
 ☑ K04, ceramic/textile
 ☒ 650mm ø 330mm
 CE AC

OTIS



92642/64

E27, A60 max. 1 × 60W
 ☑ 64, black/purple
 ☑ K04, ceramic/textile
 ☒ 600mm ø 300mm
 CE AC

MACROOM






92647/70


E14, D45 max. 1 × 40W
 ☑ 70, satin chrome/black
 ☑ S37, metal/textile
 ☒ 450mm ø 200mm
 CE AC


VESTA




92650/05  

E14, C35  max. 1 × 40W

 05, white

 G01, glas

 300mm Ø 240mm

CE   AC

NERVA



92603/01

E14, C35 max. 2 × 60W
 01, red
 S40, metal/paper
 1460mm 185mm
 AC



92603/03

E14, C35 max. 2 × 60W
 03, blue
 S40, metal/paper
 1460mm 185mm
 AC



92603/04

E14, C35 max. 2 × 60W
 04, green
 S40, metal/paper
 1460mm 185mm
 AC



92603/07

E14, C35 max. 2 × 60W
 07, orange
 S40, metal/paper
 1460mm 185mm
 AC



92603/75

E14, C35 max. 2 × 60W
 75, titanium white
 S40, metal/paper
 1460mm 185mm
 AC



92603/20

E14, C35 max. 2 × 60W
 20, brown
 S40, metal/paper
 1460mm 185mm
 AC



92603/22

E14, C35 max. 2 × 60W
 22, grey
 S40, metal/paper
 1460mm 185mm
 AC



92603/28

E14, C35 max. 2 × 60W
 28, light-brown
 S40, metal/paper
 1460mm 185mm
 AC



92603/23

E14, C35 max. 2 × 60W
 23, dark brown
 S40, metal/paper
 1460mm 185mm
 AC



92603/63

E14, C35 max. 2 × 60W
 63, dark grey
 S40, metal/paper
 1460mm 185mm
 AC

LOS ANGELES



G72255/19

G9, QT14 max. 1 × 40W
 ☑ 19, old copper/red-orange-alab.
 ☑ S25, metal/glass
 ⊕ 1200mm ⊘ 140mm
 CE AC



G72255/18

G9, QT14 max. 1 × 40W
 ☑ 18, brushed brass
 ☑ S25, metal/glass
 ⊕ 1200mm ⊘ 140mm
 CE AC



G72255/24

G9, QT14 max. 1 × 40W
 ☑ 24, satin chrome/red-orange-alabas
 ☑ S25, metal/glass
 ⊕ 1200mm ⊘ 140mm
 CE AC

TECHNO



G92631/06

12 V, CCFL max. 2 × 3W
 ☑ 06, black
 ☑ S20, metal
 ⊕ 1335mm ⊠ 480mm
 CE 230V



G92631/13

12 V, CCFL max. 2 × 3W
 ☑ 13, satin chrome
 ☑ S20, metal
 ⊕ 1335mm ⊠ 480mm
 CE 230V

SCOPE



G92633/13

12 V, CCFL max. 2 × 3W
 ☑ 13, satin chrome
 ☑ S20, metal
 ⊕ 720mm (max. 1240mm) ⊞ 480mm (max. 760mm)
 CE ⚡ ⏚ 230V

NEREIDE



92645/15

E27, A60 max. 1 × 100W
 ☑ 15, chrome
 ☑ S20, metal
 ⊕ 1800mm ⊞ 1320mm ∅ 300mm
 CE ⚡ ⏚ AC

MACROOM



92648/70

E27, A60 max. 1 × 60W
 ☑ 70, satin chrome/black
 ☑ S37, metal/textile
 ⊕ 1490mm ∅ 280mm
 CE ⚡ ⏚ AC

ANTWERPEN



G70282/18

12 V GY6,35, QT-LP12 ☞
max. 4 × 35W

18, brushed brass

S25, metal/glass
(max. 1600mm) 650mm

CE 230V



G70286/18

12 V GY6,35, QT-LP12 ☞
max. 3 × 35W

18, brushed brass

S25, metal/glass
(max. 1600mm) 570mm

CE 230V

ANTWERPEN



G70273/19

12 V G4, QT-LP9 ☞
max. 5 × 20W

19, old copper/red-orange-alab.

S25, metal/glass
 720mm 1600mm

CE 230V



G70276/19


12 V GY6,35, QT-LP12 ☞
max. 3 × 35W

19, old copper/red-orange-alab.

S25, metal/glass
 570mm 1600mm

CE 230V

ANTWERPEN



G70273/24

12 V G4, QT-LP9
 max. 5 × 20W
 24, satin chrome/red-orange-alabas
 S25, metal/glass
 720mm 1600mm

CE 230V


LOS ANGELES



G72269/24

12 V G4, QT-LP9
 max. 6 × 20W
 24, satin chrome/red-orange-alabas
 S25, metal/glass
 750mm 1500mm

CE 230V




G72274/24

12 V G4, QT-LP9
 max. 6 × 20W
 24, satin chrome/red-orange-alabas
 S25, metal/glass
 1500mm 500mm

CE 230V


LOS ANGELES



G72284/18 

12 V G4, QT-LP9 
 max. 6 × 20W
 18, brushed brass
 S25, metal/glass
 1500mm  500mm
 CE    230V 













G72289/18 

12 V G4, QT-LP9 
 max. 6 × 20W
 18, brushed brass
 S25, metal/glass
 750mm  1500mm
 CE    230V 


LOS ANGELES




G72269/19 

12 V G4, QT-LP9 
 max. 6 × 20W
 19, old copper/red-orange-alab.
 S25, metal/glass
 750mm  1500mm
 CE    230V 



G72274/19 

12 V G4, QT-LP9 
 max. 6 × 20W
 19, old copper/red-orange-alab.
 S25, metal/glass
 1500mm  500mm
 CE    230V 

LOS ANGELES



G72269/13

12 V G4, QT-LP9
 max. 6 × 20W
 13, satin chrome/white
 S25, metal/glass
 750mm 1500mm
 CE 230V

SENNA



G93212/01

G9, QT14 max. 1 × 40W
 01, titan red
 S25, metal/glass
 1400mm 130mm
 CE AC



G93212/11


G9, QT14 max. 1 × 40W
 11, titanium/transparent
 S25, metal/glass
 1400mm 130mm
 CE AC


SILVER




G08270/21

G9, QT14  max. 1 x 40W

 21, alu/transparent

 S25, metal/glass

 1300mm ø 110mm

CE   AC 

RAVENNA



G89360/13

R7S, QT-DE12 max. 1 × 300W
 ☑ 13, satin chrome/white
 ☑ S25, metal/glass
 ☒ 1800mm ☒ 420mm

CE 230V



G89360/76

R7S, QT-DE12 max. 1 × 300W
 ☑ 76, old copper/white alabaster
 ☑ S25, metal/glass
 ☒ 1800mm ☒ 420mm

CE 230V

UTAH



G69065/13

R7S, QT-DE12 max. 1 × 300W
 G9, QT14 max. 1 × 40W
 ☑ 13, satin chrome
 ☑ S25, metal/glass
 ☒ 1800mm ☒ 410mm ☒ 400mm ∅ 300mm

CE 230V

VICO



93210/01 **E**

E14, D45 max. 1 × 60W
 ☑ 01, chrome/red
 ☑ S25, metal/glass
 ☒ 1400mm ø 180mm
 CE AC



93210/05 **E**

E14, D45 max. 1 × 60W
 ☑ 05, chrome/white
 ☑ S25, metal/glass
 ☒ 1400mm ø 180mm
 CE AC

TIM



76870/26 **E**

E27, A60 max. 1 × 75W
 ☑ 26, titan/green-striped
 ☑ S25, metal/glass
 ☒ 1350mm ø 120mm
 CE AC



76870/70 **E**

E27, A60 max. 1 × 75W
 ☑ 70, titan/brown-striped
 ☑ S25, metal/glass
 ☒ 1350mm ø 120mm
 CE AC

TOSCA



93217/05 **E**

E14, C35 max. 3 × 40W
 ☑ 05, chrome/white
 ☑ S37, metal/textile
 ⊕ 1400mm ∅ 460mm
 CE ▽ □ AC



93217/06 **E**

E14, C35 max. 3 × 40W
 ☑ 06, chrome/black
 ☑ S37, metal/textile
 ⊕ 1400mm ∅ 460mm
 CE ▽ □ AC



93217/64 **E**

E14, C35 max. 3 × 40W
 ☑ 64, chrome/purple
 ☑ S37, metal/textile
 ⊕ 1400mm ∅ 460mm
 CE ▽ □ AC

FREYA




93220/05 **E**

E27, A60 max. 1 × 60W
 G95 max. 1 × 60W
 ☑ 05, white/white alabaster
 ☑ K61, plastic/glass
 ⊕ 1400mm ∅ 415mm
 CE ▽ □ AC



93220/73 **E**

E27, A60 max. 1 × 60W
 G95 max. 1 × 60W
 ☑ 73, white/blue alabaster
 ☑ K61, plastic/glass
 ⊕ 1400mm ∅ 415mm
 CE ▽ □ AC









93220/77 **E**

E27, A60 max. 1 × 60W
 G95 max. 1 × 60W
 ☑ 77, Pas de serie
 ☑ K61, plastic/glass
 ⊕ 1400mm ∅ 415mm
 CE ▽ □ AC

MAVIE









93211/25 **E**

E27, A60  max. 1 × 60W
 25, alu/glass white-strip
 A36, aluminium/glass
 1400mm ø 180mm
CE   AC

ZARINA



93219/13 **E**

E27, A60  max. 1 × 60W
 13, satin chrome
 S41, metall/tortoise shell
 1800mm ø 580mm
CE   AC




TECHNO




G92630/06    

12 V , CCFL max. 2 × 3W
☑ 06, black
☑ S20, metal
⊕ 530mm ⊖ 480mm
CE ⚡ Ⓜ 230V 



G92630/13    

12 V , CCFL max. 2 × 3W
☑ 13, satin chrome
☑ S20, metal
⊕ 530mm ⊖ 480mm
CE ⚡ Ⓜ 230V 

AKINA



92644/20

E14, C35 max. 1 × 40W
 D45 max. 1 × 40W
 ☑ 20, brown
 ☑ S37, metal/textile
 ☑ 350mm ø 140mm
 CE AC



92644/22

E14, C35 max. 1 × 40W
 D45 max. 1 × 40W
 ☑ 22, grey
 ☑ S37, metal/textile
 ☑ 350mm ø 140mm
 CE AC



92644/23

E14, C35 max. 1 × 40W
 D45 max. 1 × 40W
 ☑ 23, dark brown
 ☑ S37, metal/textile
 ☑ 350mm ø 140mm
 CE AC



92644/28

E14, C35 max. 1 × 40W
 D45 max. 1 × 40W
 ☑ 28, light-brown
 ☑ S37, metal/textile
 ☑ 350mm ø 140mm
 CE AC



92644/63

E14, C35 max. 1 × 40W
 D45 max. 1 × 40W
 ☑ 63, dark grey
 ☑ S37, metal/textile
 ☑ 350mm ø 140mm
 CE AC





SCOPE








G92632/13     

12 V, CCFL max. 2 × 3W

 13, satin chrome

 S20, metal

 480mm (max. 600mm)  460mm (max. 760mm)

CE   230V 

MURCIA



G02111/31

G9, QT14 max. 1 × 40W
 ☑ 31, antique brass
 ☑ S25, metal/glass
 ☑ 165mm Ø 85mm
 CE AC



G02134/31

G9, QT14 max. 3 × 40W
 ☑ 31, antique brass
 ☑ S25, metal/glass
 ☑ 175mm Ø 190mm
 CE AC



G02113/31

G9, QT14 max. 2 × 40W
 ☑ 31, antique brass
 ☑ S25, metal/glass
 ☑ 320mm ☑ 185mm
 CE AC



G02133/31

G9, QT14 max. 3 × 40W
 ☑ 31, antique brass
 ☑ S25, metal/glass
 ☑ 185mm Ø 330mm
 CE AC



G02116/31

G9, QT14 max. 3 × 40W
 ☑ 31, antique brass
 ☑ S25, metal/glass
 ☑ 565mm ☑ 180mm
 CE AC

SISSI



G02410/75

G9, QT14 max. 1 × 40W
☑ 75, white antique/white
☑ S25, metal/glass
☑ 150mm ø 80mm
CE AC



G02413/75

G9, QT14 max. 2 × 40W
☑ 75, white antique/white
☑ S25, metal/glass
☑ 325mm
CE AC




G02434/75

G9, QT14 max. 3 × 40W
☑ 75, white antique/white
☑ S25, metal/glass
☑ 155mm ø 190mm
CE AC


KISHI






G02611/77  

12 V GU5,3, QR-CBC51 ▷
max. 1 × 20W
▣ 77, satin chrome/chrome
▣ S20, metal
▣ 160mm Ø 120mm
CE   230V 






G02613/77 

12 V GU5,3, QR-CBC51 ▷
max. 2 × 20W
▣ 77, satin chrome/chrome
▣ S20, metal
▣ 400mm ▣ 175mm Ø 125mm
CE   230V 





G02634/77 

12 V GU5,3, QR-CBC51 ▷
max. 3 × 20W
▣ 77, satin chrome/chrome
▣ S20, metal
▣ 150mm Ø 240mm
CE   230V 

NEWTON



G03810/77  

GU10, ES50 ▷ max. 1 × 50W
▣ 77, satin chrome/chrome
▣ S20, metal
▣ 130mm Ø 120mm
CE    230V 



G03829/77  

GU10, ES50 ▷ max. 2 × 50W
▣ 77, satin chrome/chrome
▣ S20, metal
▣ 310mm ▣ 150mm
CE    230V 



G03834/77  

GU10, ES50 ▷ max. 3 × 50W
▣ 77, satin chrome/chrome
▣ S20, metal
▣ 125mm Ø 230mm
CE    230V 

CLARA



G10610/76

G9, QT14 max. 1 × 40W
 ☑ 76, dark wood/chrome
 ☑ S28, metal/wood/glass
 ☑ 165mm Ø 110mm
 CE AC



G10634/76

G9, QT14 max. 3 × 40W
 ☑ 76, dark wood/chrome
 ☑ S28, metal/wood/glass
 ☑ 165mm Ø 250mm
 CE AC



G10626/76

G9, QT14 max. 6 × 40W
 ☑ 76, dark wood/chrome
 ☑ S28, metal/wood/glass
 ☑ 770mm ☑ 200mm Ø 150mm
 CE AC



G10629/76

G9, QT14 max. 2 × 40W
 ☑ 76, dark wood/chrome
 ☑ S28, metal/wood/glass
 ☑ 70mm ☑ 340mm ☑ 165mm
 CE AC



G10693/76

G9, QT14 max. 4 × 40W
 ☑ 76, dark wood/chrome
 ☑ S28, metal/wood/glass
 ☑ 900mm ☑ 180mm
 CE AC

G10696/76

G9, QT14 max. 4 × 40W
 ☑ 76, dark wood/chrome
 ☑ S28, metal/wood/glass
 ☑ 850mm ☑ 180mm
 CE AC

JANE



G12010/13

GU10, ES50 ▷ max. 1 × 50W
 ☑ 13, satin chrome
 ☑ S20, metal
 ☒ 130mm Ø 60mm
 CE ▽ ⊕ ✕ AC ⚡



G12029/13

GU10, ES50 ▷ max. 2 × 50W
 ☑ 13, satin chrome
 ☑ S20, metal
 ☒ 180mm ☒ 140mm
 CE ▽ ⊕ ✕ AC ⚡



G12034/13

GU10, ES50 ▷ max. 3 × 50W
 ☑ 13, satin chrome
 ☑ S20, metal
 ☒ 140mm Ø 150mm
 CE ▽ ⊕ ✕ AC ⚡



G12032/13

GU10, ES50 ▷ max. 4 × 50W
 ☑ 13, satin chrome
 ☑ S20, metal
 ☒ 470mm ☒ 160mm
 CE ▽ ⊕ ✕ AC ⚡




JANE



G12010/03

GU10, ES50 ▷ max. 1 × 50W
 ☑ 03, blue
 ☑ S20, metal
 ☒ 130mm Ø 60mm
 CE ▽ ⊕ ✕ AC



G12029/03

GU10, ES50 ▷ max. 2 × 50W
 ☑ 03, blue
 ☑ S20, metal
 ☒ 180mm ☒ 140mm
 CE ▽ ⊕ ✕ AC



G12034/03

GU10, ES50 ▷ max. 3 × 50W
 ☑ 03, blue
 ☑ S20, metal
 ☒ 140mm Ø 150mm
 CE ▽ ⊕ ✕ AC

JANE



G12010/04

GU10, ES50 ▷ max. 1 × 50W
 ☑ 04, green
 ☑ S20, metal
 ☒ 130mm Ø 60mm
 CE ▽ ⊕ ✕ AC



G12029/04

GU10, ES50 ▷ max. 2 × 50W
 ☑ 04, green
 ☑ S20, metal
 ☒ 180mm ☒ 140mm
 CE ▽ ⊕ ✕ AC



G12034/04

GU10, ES50 ▷ max. 3 × 50W
 ☑ 04, green
 ☑ S20, metal
 ☒ 140mm Ø 150mm
 CE ▽ ⊕ ✕ AC

EMELI



G12311/67

G9, QT14 max. 1 × 40W
 67, old copper/orange-transparent
 S25, metal/glass
 160mm 85mm
 CE AC



G12313/67

G9, QT14 max. 2 × 40W
 67, old copper/orange-transparent
 S25, metal/glass
 400mm 170mm
 CE AC



G12306/67

G9, QT14 max. 6 × 40W
 67, old copper/orange-transparent
 S25, metal/glass
 2400mm 200mm
 CE AC



G12332/67

G9, QT14 max. 4 × 40W
 67, old copper/orange-transparent
 S25, metal/glass
 890mm 190mm
 CE AC



G12334/67

G9, QT14 max. 3 × 40W
 67, old copper/orange-transparent
 S25, metal/glass
 160mm 210mm
 CE AC

MIRA



G13111/73

G9, QT14 max. 1 × 40W
 ☑ 73, satin chrome/blue
 ☑ S25, metal/glass
 ☑ 100mm ø 80mm
 CE AC



G13113/73

G9, QT14 max. 2 × 40W
 ☑ 73, satin chrome/blue
 ☑ S25, metal/glass
 ☑ 400mm ☑ 150mm
 CE AC



G13132/73

G9, QT14 max. 4 × 40W
 ☑ 73, satin chrome/blue
 ☑ S25, metal/glass
 ☑ 900mm ☑ 160mm
 CE AC



G13134/73

G9, QT14 max. 3 × 40W
 ☑ 73, satin chrome/blue
 ☑ S25, metal/glass
 ☑ 130mm ø 190mm
 CE AC



G13106/73

G9, QT14 max. 6 × 40W
 ☑ 73, satin chrome/blue
 ☑ S25, metal/glass
 ☑ 1775mm ☑ 210mm
 CE AC

LINUS



G24211/25

G9, QT14 max. 1 × 40W
 25, satin chrome/white-strip
 S25, metal/glass
 170mm Ø 110mm
 CE AC



G24235/25

G9, QT14 max. 4 × 40W
 25, satin chrome/white-strip
 S25, metal/glass
 230mm 230mm 170mm
 CE AC



G24213/25

G9, QT14 max. 2 × 40W
 25, satin chrome/white-strip
 S25, metal/glass
 375mm 180mm
 CE AC



G24232/25

G9, QT14 max. 4 × 40W
 25, satin chrome/white-strip
 S25, metal/glass
 825mm 195mm
 CE AC

LINUS



G24211/26

G9, QT14 max. 1 × 40W
 ✓ 26, satin chrome/green-striped
 ■ S25, metal/glass
 ☒ 170mm Ø 110mm
 CE AC



G24235/26

G9, QT14 max. 4 × 40W
 ✓ 26, satin chrome/green-striped
 ■ S25, metal/glass
 ☒ 230mm ☒ 230mm ☒ 170mm
 CE AC



G24213/26


G9, QT14 max. 2 × 40W
 ✓ 26, satin chrome/green-striped
 ■ S25, metal/glass
 ☒ 375mm ☒ 180mm
 CE AC



G24232/26

G9, QT14 max. 4 × 40W
 ✓ 26, satin chrome/green-striped
 ■ S25, metal/glass
 ☒ 825mm ☒ 195mm
 CE AC

LINUS




G24211/27

G9, QT14 max. 1 × 40W
 27, satin chrome/orange-strip
 S25, metal/glass
 170mm 110mm
 CE AC




G24235/27

G9, QT14 max. 4 × 40W
 27, satin chrome/orange-strip
 S25, metal/glass
 230mm 230mm 170mm
 CE AC



G24213/27

G9, QT14 max. 2 × 40W
 27, satin chrome/orange-strip
 S25, metal/glass
 375mm 180mm
 CE AC



G24232/27

G9, QT14 max. 4 × 40W
 27, satin chrome/orange-strip
 S25, metal/glass
 825mm 195mm
 CE AC

ENNO



G25010/74
 GU10, ES50 ▷ max. 1 × 50W
 ☑ 74, satin chrome/green
 ☑ S20, metal
 ☐ 140mm Ø 90mm
 CE ▽ ⊕ ✕ AC



G25013/74
 GU10, ES50 ▷ max. 2 × 50W
 ☑ 74, satin chrome/green
 ☑ S20, metal
 ☐ 400mm ☐ 150mm
 CE ▽ ⊕ ✕ AC



G25034/74
 GU10, ES50 ▷ max. 3 × 50W
 ☑ 74, satin chrome/green
 ☑ S20, metal
 ☐ 140mm Ø 215mm
 CE ▽ ⊕ ✕ AC

ENNO



G25010/76

GU10, ES50 ▷ max. 1 × 50W
 ☑ 76, white silk matt / black matt
 ☑ S20, metal
 ☐ 140mm Ø 90mm
 CE ▽ ⊕ ✕ AC



G25013/76

GU10, ES50 ▷ max. 2 × 50W
 ☑ 76, white silk matt / black matt
 ☑ S20, metal
 ☐ 400mm ☐ 150mm
 CE ▽ ⊕ ✕ AC



G25034/76

GU10, ES50 ▷ max. 3 × 50W
 ☑ 76, white silk matt / black matt
 ☑ S20, metal
 ☐ 140mm Ø 215mm
 CE ▽ ⊕ ✕ AC

ENNO



G25034/77

GU10, ES50 \triangleright max. 3 \times 50W
 ✓ 77, satin chrome/chrome
 ■ S20, metal
 □ 140mm \varnothing 215mm
 CE ∇ \oplus \otimes AC



G25013/77

GU10, ES50 \triangleright max. 2 \times 50W
 ✓ 77, satin chrome/chrome
 ■ S20, metal
 □ 400mm \square 150mm
 CE ∇ \oplus \otimes AC



G25010/77

GU10, ES50 \triangleright max. 1 \times 50W
 ✓ 77, satin chrome/chrome
 ■ S20, metal
 □ 140mm \varnothing 90mm
 CE ∇ \oplus \otimes AC

AMALFI



G25210/13

GU10, ES50 ▷ max. 1 × 50W
 ☑ 13, satin chrome
 ☑ S20, metal
 ☐ 130mm Ø 80mm
 CE ▽ ⊕ ✕ AC



G25213/13

GU10, ES50 ▷ max. 2 × 50W
 ☑ 13, satin chrome
 ☑ S20, metal
 ☐ 255mm ☐ 130mm
 CE ▽ ⊕ ✕ AC



G25232/13

GU10, ES50 ▷ max. 4 × 50W
 ☑ 13, satin chrome
 ☑ S20, metal
 ☐ 600mm ☐ 130mm
 CE ▽ ⊕ ✕ AC



G25233/13

GU10, ES50 ▷ max. 3 × 50W
 ☑ 13, satin chrome
 ☑ S20, metal
 Ø 350mm
 CE ▽ ⊕ ✕ AC



G25234/13

GU10, ES50 ▷ max. 3 × 50W
 ☑ 13, satin chrome
 ☑ S20, metal
 ☐ 130mm Ø 190mm
 CE ▽ ⊕ ✕ AC

AMALFI



G25210/05
 GU10, ES50 ▷ max. 1 × 50W
 ☑ 05, white
 ☑ S20, metal
 ☐ 130mm Ø 80mm
 CE ▽ ⊕ ✕ AC



G25234/05
 GU10, ES50 ▷ max. 3 × 50W
 ☑ 05, white
 ☑ S20, metal
 ☐ 130mm Ø 190mm
 CE ▽ ⊕ ✕ AC



G25213/05
 GU10, ES50 ▷ max. 2 × 50W
 ☑ 05, white
 ☑ S20, metal
 ☐ 255mm ☐ 130mm
 CE ▽ ⊕ ✕ AC



G25232/05
 GU10, ES50 ▷ max. 4 × 50W
 ☑ 05, white
 ☑ S20, metal
 ☐ 600mm ☐ 130mm
 CE ▽ ⊕ ✕ AC

BRIGHTON



G30611/24

G9, QT14 max. 1 × 40W
 ☑ 24, satin chrome/red-orange-alabas
 ☑ S25, metal/glass
 ☒ 140mm Ø 85mm
 CE AC



G30613/24

G9, QT14 max. 2 × 40W
 ☑ 24, satin chrome/red-orange-alabas
 ☑ S25, metal/glass
 ☒ 400mm ☒ 180mm Ø 100mm
 CE AC



G30606/24

G9, QT14 max. 6 × 40W
 ☑ 24, satin chrome/red-orange-alabas
 ☑ S25, metal/glass
 ☒ 2400mm ☒ 220mm Ø 100mm
 CE AC



G30632/24

G9, QT14 max. 4 × 40W
 ☑ 24, satin chrome/red-orange-alabas
 ☑ S25, metal/glass
 ☒ 900mm ☒ 180mm
 CE AC

G30634/24

G9, QT14 max. 3 × 40W
 ☑ 24, satin chrome/red-orange-alabas
 ☑ S25, metal/glass
 ☒ 140mm Ø 210mm
 CE AC

BRIGHTON



G30611/73

G9, QT14 max. 1 × 40W
 73, satin chrome/blue-alabaster
 S25, metal/glass
 140mm Ø 85mm
 CE AC



G30613/73

G9, QT14 max. 2 × 40W
 73, satin chrome/blue-alabaster
 S25, metal/glass
 400mm 180mm Ø 100mm
 CE AC



G30606/73

G9, QT14 max. 6 × 40W
 73, satin chrome/blue-alabaster
 S25, metal/glass
 2400mm 220mm Ø 100mm
 CE AC



G30632/73

G9, QT14 max. 4 × 40W
 73, satin chrome/blue-alabaster
 S25, metal/glass
 900mm 180mm
 CE AC

G30634/73

G9, QT14 max. 3 × 40W
 73, satin chrome/blue-alabaster
 S25, metal/glass
 140mm Ø 210mm
 CE AC

LEVIN



G63514/13

12 V GU5,3, QR-CBC51

max. 1 × 35W

13, satin chrome

S20, metal

130mm 70mm 140mm

CE 230V



G63590/13

12 V GU5,3, QR-CBC51

max. 3 × 35W

13, satin chrome

S20, metal

430mm ∅ 210mm

CE 230V



G63529/13

12 V GU5,3, QR-CBC51

max. 2 × 35W

13, satin chrome

S20, metal

70mm 240mm 130mm

CE 230V



G63531/13

12 V GU5,3, QR-CBC51

max. 4 × 35W

13, satin chrome

S20, metal

75mm 580mm 140mm

CE 230V

LEVIN



G63514/18

12 V GU5,3, QR-CBC51

max. 1 × 35W

18, brushed brass

S20, metal

130mm 70mm 140mm

CE 230V



G63590/18

12 V GU5,3, QR-CBC51

max. 3 × 35W

18, brushed brass

S20, metal

430mm ∅ 210mm

CE 230V



G63529/18

12 V GU5,3, QR-CBC51

max. 2 × 35W

18, brushed brass

S20, metal

70mm 240mm 130mm

CE 230V



G63531/18

12 V GU5,3, QR-CBC51

max. 4 × 35W

18, brushed brass

S20, metal

75mm 580mm 140mm

CE 230V

LANOS




G63611/05

GU10, ES50 \triangleright max. 1 \times 50W
 05, white
 S20, metal
 120mm 120mm 160mm
 CE AC



G63635/05

GU10, ES50 \triangleright max. 4 \times 50W
 05, white
 S20, metal
 240mm 240mm \varnothing 160mm
 CE AC



G63629/05

GU10, ES50 \triangleright max. 2 \times 50W
 05, white
 S20, metal
 240mm \varnothing 160mm
 CE AC



G63630/05

GU10, ES50 \triangleright max. 3 \times 50W
 05, white
 S20, metal
 120mm 480mm \varnothing 170mm
 CE AC

FORTUNA



G06611B15

G9, QT14 max. 1 × 40W
 ✓ 15, chrome
 ■ S25, metal/glass
 ⊕ 150mm ⊖ 100mm ⊞ 120mm
 CE AC



G06629B15

G9, QT14 max. 2 × 40W
 ✓ 15, chrome
 ■ S25, metal/glass
 ⊕ 70mm ⊖ 300mm ⊞ 100mm
 CE AC



G06606B15

G9, QT14 max. 6 × 40W
 ✓ 15, chrome
 ■ S25, metal/glass
 ⊕ 2100mm ⊖ 130mm
 CE AC



G06635B15

G9, QT14 max. 4 × 40W
 ✓ 15, chrome
 ■ S25, metal/glass
 ⊕ 250mm ⊖ 250mm ⊞ 100mm
 CE AC



G06632B15

G9, QT14 max. 4 × 40W
 ✓ 15, chrome
 ■ S25, metal/glass
 ⊕ 70mm ⊖ 770mm ⊞ 140mm
 CE AC

BELLONA



G15311/13

- G9, QT14 max. 1 × 40W
- 13, satin chrome
- S25, metal/glass
- 150mm \varnothing 110mm
- CE AC



G15334/13

- G9, QT14 max. 3 × 40W
- 13, satin chrome
- S25, metal/glass
- 150mm \varnothing 220mm
- CE AC



G15306/13

- G9, QT14 max. 6 × 40W
- 13, satin chrome
- S25, metal/glass
- 1650mm 170mm \varnothing 110mm
- CE AC





G15392/13


- G9, QT14 max. 2 × 40W
- 13, satin chrome
- S25, metal/glass
- 370mm 170mm \varnothing 110mm
- CE AC






G15393/13

G9, QT14  max. 4 × 40W

 13, satin chrome



 S25, metal/glass


 940mm  190mm  ∅ 110mm


CE   AC 


CURINO





G90034/76   

GU10, ES50  max. 6 × 50W

 76, chrome

 S20, metal

 860mm  130mm

CE     AC 

TESS



G63310/07

E14, TCG-SE max. 1 × 7W
 R50 / D45 max. 1 × 40W
 ☑ 07, satin chrome/red/orange
 ☑ S25, metal/glass
 ☒ 150mm ∅ 85mm
 CE AC



G63313/07

E14, TCG-SE max. 2 × 7W
 R50 / D45 max. 2 × 40W
 ☑ 07, satin chrome/red/orange
 ☑ S25, metal/glass
 ☒ 400mm ☒ 170mm
 CE AC



G63306/07

E14, TCG-SE max. 6 × 7W
 R50 / D45 max. 6 × 40W
 ☑ 07, satin chrome/red/orange
 ☑ S25, metal/glass
 ☒ 2400mm ☒ 200mm
 CE AC



G63332/07

E14, TCG-SE max. 4 × 7W
 R50 / D45 max. 4 × 40W
 ☑ 07, satin chrome/red/orange
 ☑ S25, metal/glass
 ☒ 880mm ☒ 170mm
 CE AC

TESS



G63310/77

E14, TCG-SE max. 1 × 7W
 R50 / D45 max. 1 × 40W
 77, satin chrome/chrome
 S25, metal/glass
 150mm 85mm
 CE



G63313/77

E14, TCG-SE max. 2 × 7W
 R50 / D45 max. 2 × 40W
 77, satin chrome/chrome
 S25, metal/glass
 400mm 170mm
 CE



G63306/77

E14, TCG-SE max. 6 × 7W
 R50 / D45 max. 6 × 40W
 77, satin chrome/chrome
 S25, metal/glass
 2400mm 200mm
 CE



G63332/77

E14, TCG-SE max. 4 × 7W
 R50 / D45 max. 4 × 40W
 77, satin chrome/chrome
 S25, metal/glass
 880mm 170mm
 CE

NINA



G63411/77

E14, TCG-SE max. 1 × 7W
 R50 / D45 max. 1 × 40W
 77, satin chrome/chrome
 S25, metal/glass
 200mm 85mm
 CE AC



G63413/77

E14, TCG-SE max. 2 × 7W
 R50 / D45 max. 2 × 40W
 77, satin chrome/chrome
 S25, metal/glass
 400mm 220mm
 CE AC



G63406/77

E14, TCG-SE max. 6 × 7W
 R50 / D45 max. 6 × 40W
 77, satin chrome/chrome
 S25, metal/glass
 2250mm 220mm
 CE AC



G63434/77

E14, TCG-SE max. 3 × 7W
 R50 / D45 max. 3 × 40W
 77, satin chrome/chrome
 S25, metal/glass
 200mm 210mm
 CE AC












G63432/77

E14, TCG-SE max. 4 × 7W
 R50 / D45 max. 4 × 40W
 77, satin chrome/chrome
 S25, metal/glass
 880mm 220mm
 CE AC

ECOS












G84805/13

GU10, TC-QPAR51 max. 1 × 7W
 ES50  max. 1 × 35W
 13, satin chrome
 S20, metal
 340mm  160mm
 CE    230V 












G84813/13

GU10, TC-QPAR51 max. 2 × 7W
 ES50  max. 2 × 50W
 13, satin chrome
 S20, metal
 400mm  160mm
 CE    230V 












G84804/13

GU10, TC-QPAR51 max. 4 × 7W
 ES50  max. 4 × 50W
 13, satin chrome
 S20, metal
 1800mm  160mm
 CE    230V 




G84806/13


GU10, TC-QPAR51 max. 6 × 7W
 ES50  max. 6 × 50W
 13, satin chrome
 S20, metal
 2400mm  160mm
 CE    230V 






G84832/13

GU10, TC-QPAR51 max. 4 × 7W

ES50  max. 4 × 50W

 13, satin chrome

 S20, metal


 900mm  160mm


CE      230V 






G84833/13

GU10, TC-QPAR51 max. 3 × 7W

ES50  max. 3 × 50W

 13, satin chrome

 S20, metal


 160mm  330mm


CE     230V 






G84810/13

GU10, TC-QPAR51 max. 1 × 7W

ES50  max. 1 × 50W

 13, satin chrome

 S20, metal

 140mm  85mm

CE     230V 

MILOS



17810/19 **E**

E14, R50 max. 1 × 40W
 D45 max. 1 × 40W
 ☑ 19, old copper/red-orange-alab.
 ☑ S25, metal/glass
 ☒ 115mm ☒ 105mm ☒ 160mm
 CE AC



17834/19 **E**

E14, R50 max. 3 × 40W
 D45 max. 3 × 40W
 ☑ 19, old copper/red-orange-alab.
 ☑ S25, metal/glass
 ☒ 240mm ☒ 240mm ☒ 160mm
 CE AC



17805/19 **E**

E14, R50 max. 5 × 40W
 D45 max. 5 × 40W
 ☑ 19, old copper/red-orange-alab.
 ☑ S25, metal/glass
 ☒ 1640mm ☒ 200mm
 CE AC



17829/19 **E**

E14, R50 max. 2 × 40W
 D45 max. 2 × 40W
 ☑ 19, old copper/red-orange-alab.
 ☑ S25, metal/glass
 ☒ 95mm ☒ 340mm ☒ 160mm
 CE AC



17832/19 **E**

E14, R50 max. 4 × 40W
 D45 max. 4 × 40W
 ☑ 19, old copper/red-orange-alab.
 ☑ S25, metal/glass
 ☒ 125mm ☒ 880mm ☒ 190mm
 CE AC



17890/19 **E**

E14, R50 max. 1 × 40W
 D45 max. 1 × 40W
 ☑ 19, old copper/red-orange-alab.
 ☑ S25, metal/glass
 ☒ 120mm ☒ 110mm ☒ 290mm
 CE AC

MEZZO



33011/13

E14, D45 max. 1 × 40W
 ☑ 13, satin chrome/white
 ☑ S25, metal/glass
 ☒ 195mm Ø 110mm
 CE AC



33029/13

E14, D45 max. 2 × 40W
 ☑ 13, satin chrome/white
 ☑ S25, metal/glass
 ☒ 210mm ☒ 195mm
 CE AC



33006/13

E14, D45 max. 6 × 40W
 ☑ 13, satin chrome/white
 ☑ S25, metal/glass
 ☒ 1910mm ☒ 240mm
 CE AC



33033/13

E14, D45 max. 3 × 40W
 ☑ 13, satin chrome/white
 ☑ S25, metal/glass
 ☒ 230mm Ø 410mm
 CE AC



33032/13

E14, D45 max. 4 × 40W
 ☑ 13, satin chrome/white
 ☑ S25, metal/glass
 ☒ 980mm ☒ 230mm
 CE AC



33034/13

E14, D45 max. 3 × 40W
 ☑ 13, satin chrome/white
 ☑ S25, metal/glass
 ☒ 200mm Ø 250mm
 CE AC

ROSSO



50210/75 **E**

E14, R50 max. 1 × 40W
☑ 75, titanium white
☑ S32, metal/plastic
☑ 165mm Ø 75mm
CE AC



50229/75 **E**

E14, R50 max. 2 × 40W
☑ 75, titanium white
☑ S32, metal/plastic
☑ 300mm ☑ 165mm
CE AC



50234/75 **E**

E14, R50 max. 3 × 40W
☑ 75, titanium white
☑ S32, metal/plastic
☑ 165mm Ø 210mm
CE AC

LINFORD



53111/14

E14, R50 max. 1 × 40W
 14, chrome matt/white
 S32, metal/plastic
 180mm 85mm
 CE AC



53134/14

E14, R50 max. 3 × 40W
 14, chrome matt/white
 S32, metal/plastic
 155mm 205mm
 CE AC



53113/14

E14, R50 max. 2 × 40W
 14, chrome matt/white
 S32, metal/plastic
 455mm 200mm 95mm
 CE AC



53132/14

E14, R50 max. 4 × 40W
 14, chrome matt/white
 S32, metal/plastic
 835mm 195mm 95mm
 CE AC

CURTIS



69511/14 **E**

E14, R50 max. 1 × 40W
 ☑ 14, chrome pale
 ☑ S32, metal/plastic
 ☒ 160mm Ø 85mm
 CE



69513/14 **E**

E14, R50 max. 2 × 40W
 ☑ 14, chrome pale
 ☑ S32, metal/plastic
 ☒ 455mm ☒ 185mm
 CE



69506/14 **E**

E14, R50 max. 6 × 40W
 ☑ 14, chrome pale
 ☑ S32, metal/plastic
 ☒ 2150mm ☒ 200mm
 CE



69533/14 **E**

E14, R50 max. 3 × 40W
 ☑ 14, chrome pale
 ☑ S32, metal/plastic
 ☒ 185mm Ø 260mm
 CE



69532/14 **E**

E14, R50 max. 4 × 40W
 ☑ 14, chrome pale
 ☑ S32, metal/plastic
 ☒ 835mm ☒ 195mm
 CE



69534/14 **E**

E14, R50 max. 3 × 40W
 ☑ 14, chrome pale
 ☑ S32, metal/plastic
 ☒ 155mm Ø 205mm
 CE

BIGGY



G39011B77

G9, QT14 max. 1 × 40W
 77, satin chrome/chrome
 S25, metal/glass
 120mm 120mm 100mm
 CE AC



G39029B77

G9, QT14 max. 2 × 40W
 77, satin chrome/chrome
 S25, metal/glass
 120mm 320mm 100mm
 CE AC



G39030B77

G9, QT14 max. 3 × 40W
 77, satin chrome/chrome
 S25, metal/glass
 120mm 500mm 100mm
 CE AC










G39094B77


G9, QT14 max. 4 × 40W
 77, satin chrome/chrome
 S25, metal/glass
 400mm 400mm 180mm
 CE AC

JEREMY







G90387/00

G9, QT14  max. 1 × 40W
 00, transparent
 S25, metal/glass
 160mm  130mm
 CE   AC 











G90388/00

G9, QT14  max. 2 × 40W
 00, transparent
 S25, metal/glass
 310mm  130mm
 CE   AC 



G90389/00

G9, QT14  max. 3 × 40W
 00, transparent
 S25, metal/glass
 460mm  130mm
 CE   AC 

SQUARE



G90376/18

G9, QT14 max. 1 × 40W
 ☑ 18, brushed brass
 ☑ S25, metal/glass
 ⊕ 190mm ⊗ 190mm ⊞ 50mm
 CE ⚡ ⊕ AC



G90377/18

G9, QT14 max. 2 × 40W
 ☑ 18, brushed brass
 ☑ S25, metal/glass
 ⊕ 190mm ⊗ 360mm ⊞ 50mm
 CE ⚡ ⊕ AC



G90379/18

G9, QT14 max. 4 × 40W
 ☑ 18, brushed brass
 ☑ S25, metal/glass
 ⊕ 360mm ⊗ 360mm ⊞ 50mm
 CE ⚡ ⊕ AC



G90378/18



G9, QT14 max. 3 × 40W
 ☑ 18, brushed brass
 ☑ S25, metal/glass
 ⊕ 190mm ⊗ 530mm ⊞ 50mm
 CE ⚡ ⊕ AC

SQUARE



G90376/71

G9, QT14 \square max. 1 \times 40W
 ☑ 71, titan/white-red-stiped
 ■ S25, metal/glass
 ⊕ 190mm ⊗ 190mm ⊞ 50mm
 CE ⚡ Ⓢ AC Ⓢ



G90379/71

G9, QT14 \square max. 4 \times 40W
 ☑ 71, titan/white-red-stiped
 ■ S25, metal/glass
 ⊕ 360mm ⊗ 360mm ⊞ 50mm
 CE ⚡ Ⓢ AC Ⓢ




G90377/71

G9, QT14 \square max. 2 \times 40W
 ☑ 71, titan/white-red-stiped
 ■ S25, metal/glass
 ⊕ 190mm ⊗ 360mm ⊞ 50mm
 CE ⚡ Ⓢ AC Ⓢ

G90378/71

G9, QT14 \square max. 3 \times 40W
 ☑ 71, titan/white-red-stiped
 ■ S25, metal/glass
 ⊕ 190mm ⊗ 530mm ⊞ 50mm
 CE ⚡ Ⓢ AC Ⓢ

SQUARE



G90379/07

G9, QT14 max. 4 × 40W
 ☑ 07, titan/red/orange
 ☑ S25, metal/glass
 ☐ 360mm ☐ 360mm ☐ 50mm
 CE AC

PANAMA



90235/05

E14, C35 max. 1 × 40W
 D45 max. 1 × 40W
 ☑ 05, black/white glass
 ☑ S25, metal/glass
 ☐ 255mm ☐ 265mm
 CE AC



90235/75


E14, C35 max. 1 × 40W
 D45 max. 1 × 40W
 ☑ 75, black/white glass
 ☑ S25, metal/glass
 ☐ 255mm ☐ 265mm
 CE AC

JERICO



90041/13 **E**

E14, C35 max. 2 × 40W
 ☑ 13, satin chrome
 ☑ S25, metal/glass
 ⊕ 280mm ⊗ 280mm ⊞ 90mm
 CE ▽ ⊕ AC



90041/18 **E**

E14, C35 max. 2 × 40W
 ☑ 18, brushed brass
 ☑ S25, metal/glass
 ⊕ 280mm ⊗ 280mm ⊞ 90mm
 CE ▽ ⊕ AC

KAYA



90046/71 **E**

E14, D45 max. 1 × 40W
 C35 max. 1 × 40W
 ☑ 71, multi-coloured
 ☑ S25, metal/glass
 ⊕ 255mm ⊗ 150mm ⊞ 90mm
 CE ▽ ⊕ AC



90047/71 **E**

E27, A60 max. 1 × 60W
 ☑ 71, multi-coloured
 ☑ S25, metal/glass
 ⊕ 360mm ⊗ 360mm ⊞ 90mm
 CE ▽ ⊕ AC

KAYA



90046/73 **E**

E14, D45 max. 1 × 40W
 C35 max. 1 × 40W
 73, multi-coloured
 S25, metal/glass
 255mm 150mm 90mm
 CE AC



90047/73 **E**

E27, A60 max. 1 × 60W
 73, multi-coloured
 S25, metal/glass
 360mm 360mm 90mm
 CE AC

FAUNA



90049/72 **E**

E14, C35 max. 1 × 40W
 D45 max. 1 × 40W
 72, white/yellow
 S25, metal/glass
 290mm 195mm 100mm
 CE AC



90049/73 **E**

E14, C35 max. 1 × 40W
 D45 max. 1 × 40W
 73, white/blue
 S25, metal/glass
 290mm 195mm 100mm
 CE AC



90049/77 **E**

E14, C35 max. 1 × 40W
 D45 max. 1 × 40W
 77, white/orange
 S25, metal/glass
 290mm 195mm 100mm
 CE AC

MEDUNA



G22191/77

12 V G4, QT-LP9

max. 3 × 10W

77, satin chrome/chrome

S25, metal/glass

90mm 200mm

CE 230V



G22192/77

12 V G4, QT-LP9

max. 6 × 10W

77, satin chrome/chrome

S25, metal/glass

90mm 450mm 210mm

CE 230V



G22193/77

12 V G4, QT-LP9

max. 9 × 10W

77, satin chrome/chrome

S25, metal/glass

90mm 510mm

CE 230V

NOA



G90348/15

12 V G4, QT-LP9
 max. 8 × 10W
 15, mirror
 G10, glass/metal
 500mm 390mm 60mm
 CE 230V

COCOON



G90349/15

12 V G4, QT-LP9
 max. 8 × 10W
 15, mirror
 G10, glass/metal
 60mm ø 500mm
 CE 230V


SIMON



90031/05

E27, A60 max. 1 × 60W
 05, white
 S25, metal/glass
 310mm 310mm 70mm
 CE AC


AMALIA



90051/19

E27, A60 max. 1 × 60W
 19, old copper/red-orange
 S25, metal/glass
 100mm ø 450mm
 CE AC

EPONA



90052/19

E27, A60 max. 1 × 60W
 19, old copper/red-orange
 S25, metal/glass
 100mm ø 640mm
 CE AC

MINERVA





G90055/70


12 V G4, QT-LP9
 max. 10 × 10W
 70, chrome/deco glass candle
 S25, metal/glass
 85mm ø 500mm
 CE 230V


DJERBA ECO




G90201/05  

E27, TC-HSE max. 1 × 11W

A60  max. 1 × 60W

 05, white

 S25, metal/glass

∅ 240mm

CE   AC 

BRIGHTON



G30619/13

G9, QT14 max. 1 x 40W
 13, satin chrome/alabaster
 S25, metal/glass
 150mm ø 80mm
 CE AC



G30619/73

G9, QT14 max. 1 x 40W
 73, satin chrome/blue-alabaster
 S25, metal/glass
 150mm ø 80mm
 CE AC

MIRA



G13119/72

G9, QT14 max. 1 x 40W
 72, satin chrome/orange
 S25, metal/glass
 160mm ø 65mm
 CE AC



G13119/74

G9, QT14 max. 1 x 40W
 74, satin chrome/green
 S25, metal/glass
 160mm ø 65mm
 CE AC

LINUS



G24219/06


G9, QT14 max. 1 × 40W
 06, satin chrome/white-black strip
 S25, metal/glass
 170mm ø 65mm
 CE AC



G24219/71

G9, QT14 max. 1 × 40W
 71, satin-chrome/white-red stripe
 S25, metal/glass
 170mm ø 65mm
 CE AC

MESSINA



G29119/07

G9, QT14 max. 1 × 40W
 07, satin chrome/red/orange
 S25, metal/glass
 150mm ø 40mm
 CE AC



G29119/13

G9, QT14 max. 1 × 40W
 13, satin chrome
 S25, metal/glass
 150mm ø 40mm
 CE AC

BOOGIE



G32719/77

GZ10, QPAR-CB16 max. 1 × 50W
 77, satin chrome/chrome
 S25, metal/glass
 160mm ø 70mm
 CE AC

ARCO



G00619/15

G9, QT14 max. 1 × 40W
 15, chrome/transparent
 S32, metal/plastic
 150mm ø 70mm
 CE AC

NINA



G63419/77

E14, TCG-SE max. 1 × 7W / R50
 max. 1 × 40W / D45 max. × 40W
 77, satin chrome/chrome
 S25, metal/glass
 190mm ø 80mm
 CE AC

KINGSTON







G68319/77

GU10, ES50 max. 1 × 50W
 77, satin chrome/chrome
 S20, metal
 150mm ø 55mm
 CE AC

MEZZO







33019/13 

E14, D45  max. 1 × 40W
 13, satin chrome/white
 S25, metal/glass
 190mm \varnothing 95mm
 CE   AC

CURTIS









69519/14 

E14, R50  max. 1 × 40W
 14, chrome pale
 S32, metal/plastic
 130mm 145mm
 CE   AC

CAMPUS



G88619/75 

GU10, ES111  max. 1 × 75W
 75, chrome matt/white
 S32, metal/plastic
 100mm 170mm \varnothing 110mm
 CE    AC 

alphabetisch · alphabetical · alphabétique · alfabetico

Artikel-Name	Seite
--------------	-------

numerisch · numerical · numerique · numerico

Artikel-Nr.	Artikel-Name	Seite
-------------	--------------	-------

006	ARCO	157
021	MURCIA	109-110
024	SISSI	110-111
026	KISHI	111
027	ISI	91
029	DORLE	86-88
038	NEWTON	111
056	XENIA	16-17, 64-65
066	FORTUNA	130-131
082	SILVER	101
106	CLARA	112-113
120	JANE	113-114
123	EMELI	115-116
131		
153	BELLONA	132-133
178	MILOS	139-140
221	MEDUNA	151-152
242	LINUS	117-120, 156
250	ENNO	120-123
252	AMALFI	123-125
291		
306		
312	BLOSSOM	36-37
327	BOOGIE	157
330	MEZZO	140-141, 158
390	BIGGY	144
502	ROSSO	141-142
526	PANDORA	12-15, 18-19
531	LINFORD	142-143
533	LORENA	34-35
570	HELIUM	84-85
571	LATINA	68-69
573	GARDINA	66-67, 74-75
586	TINA	58-59
633	TESS	134-136
634	NINA	136-137, 157
635	LEVIN	127-129
636	LANOS	129-130
661	SIGRID	78-79
666	SPIRELLI	80-81
669	EDDA	42-43
670	MONI	60-61
683	KINGSTON	158
690	UTAH	102
695	CURTIS	143-144, 158
702		
722	LOS ANGELES	89, 95, 98-100
756	MATILDA	20-21
758	ANASTASIA	22-23, 76-77
768	TIM	89, 103
774	PHANTOM	38-39
825	NASH	24-25, 72-73
829	LIBERTY	40-41, 56-57
841	ESPRIT	10-11
842	FAJARA	82-83
848	ECOS	138-139
879	DORETT	4-5
880	FABIOLA	50-51, 70-71
882	RIA	6-9
883	XANDRA	52-53, 62-63
885	ROMY	54-55
886	CAMPUS	158
893		
900		
901		
902		
903		
926		
932		

General Sales and Delivery Terms

(except Russia)

Section 1 General Scope / Offers

1. Our sales and delivery terms shall be exclusively applicable; terms to the contrary or terms deviating from those of the purchaser will not be recognized by us, unless we have expressly agreed to their validity in writing. Our sales and delivery terms shall also be applicable if aware of terms to the contrary or terms deviating from purchaser's terms we will without any proviso carry out the delivery to the purchaser. An assignment ban in the Buyer's conditions is expressly refuted.
2. Any agreements entered into between us and the purchaser with the intention of implementing the contract, will have to be defined in writing.
3. Our purchasing and delivery terms shall also be applicable to all future transactions with the purchaser.
4. Our offers are net and free. Contracts will be entered into upon receipt of our written order confirmation, latest when the goods have been delivered. We can accept orders within four weeks.

Section II Prices, Freight Charges/ Payment Terms

1. Prices are net plus German value added tax (V.A.T.) and freight charges ex works or ex warehouse, unless anything else has been expressly specified in writing. For orders exceeding a net goods value of Euro 750.- (DM 1.466.87), Brilliant will not charge any freight expenses. In case of a net goods value of Euro 750.- (DM 1.466.87) or less, Brilliant will charge a global freight rate of 7% of the goods net value for domestic deliveries, however at least Euro 12.50 (DM 24.45).
2. Payment of the purchase price shall take place within the agreed term, with a discount of 3% within ten days after receipt of invoice or net within 30 days, unless agreed differently.
3. Bills (promissory notes), and checks will be accepted by us only upon prior agreement and provided they can be taken on discount. All discount fees shall be debited to the customer and have to remunerated to us at once. Bill or check amounts will be credited only upon definite receipt of the equivalent amount.
4. If payments are overdue, we shall be entitled to charge 8% interest for delay above the respective to as set out in § 247 of the German Civil Code. If we are able to claim a higher delay damage, we shall be entitled to assert it. Purchasers on the other hand shall be entitled to provide evidence that due to such payment delays we have either not been suffering any damage or to a much lesser extent.
5. If the purchaser will not pay its money when due or if a serious deterioration in its financial position has been incurred, we shall be entitled to make payable the entire remaining amount due, even though we already have accepted bills or checks from the purchaser. In such particular circumstances we shall be entitled to ask for prepayments or securities and to refuse fulfillment of our obligations until we have received such prepayments or securities. If such requests will not have been fulfilled within the suitable period specified by us, we shall be justified to withdraw from the contract and/or to claim damages because of non-performance. In case of cessation of payments or over-indebtedness, an additional period of time will not be granted.
6. We shall be entitled to set off all purchaser's outstanding accounts payable to us against our outstanding accounts payable to purchaser. A set off shall be permissible even if payment of such accounts is not yet due. The purchaser's setting off rights will be acceptable only if its counterclaims have been asserted to be legal, undisputed, and approved by us. For any disputed counterclaims, purchaser shall be not able to assert any right of retention.
7. In the case of a delay with more than one liability, the complete claim against the Buyer is immediately due for payment.
8. Our claims have been relinquished in favour of the Deutsche Factoring Bank, Bremen.

Section III. Reservation of Proprietary Rights

1. All produce supplied shall remain our sole property until all outstanding accounts payable to us (including any surplus outstanding accounts – even not yet accepted ones – any current account surplus claims) which we are entitled to against the purchaser for any legal reason have been paid.
If for exceptional reasons the purchaser receives from us an acceptor's bill, this

reservation of proprietary rights shall secure our claims under our right of recourse against the purchaser in case of any recourse based on the bill.

2. Processing, converting and incorporating with other products shall be carried out for us as the manufacturer, yet without any risk on our part. If due to incorporation, our (co) ownership shall cease, it shall be agreed even now, that the (co) ownership in the new product shall devolve to us on the pro rata basis of its invoice value of our product to the other products at the time of processing. Purchaser shall hold our (co) property in trust for us free of charge. Any products in which we have a co-ownership, shall be termed 'reserved goods'.
3. Purchaser shall be entitled to process and sell the reserved goods in the ordinary course of business, in as much as the purchaser discharges its business relationship obligations towards us in due time. Any authorization to transfer the sale to any third parties shall be excluded if between the purchaser of the reserved goods and its clients a covenant against assignment is in existence. The purchaser shall not be entitled to pawn the reserved goods, nor pledge them as collateral security. Purchaser shall assign to us even now by way of collateral security any outstanding accounts (including any current account debit balances) and rights in the sale goods or in any other respect, (e.g. insurance, illicit act regarding the reserved goods).
If we have only a co-ownership in any reserved product, the anticipatory assignment shall be limited to the part of the claim in keeping with the participation of our co-ownership (based on the invoice amounts).
4. Purchaser shall be authorized revocably by us to collect any outstanding accounts on its own account and in its own name. This collecting authority can be revoked if the purchaser does not discharge its contractual payment obligations towards us in due time. In case of a justified revocation, the purchaser shall be obliged to name any debtor/s of the assigned outstanding accounts and inform such debtor/s of the assignment.

This will apply particularly if any third party shall assert any warranty claim in opposition to the purchaser's accrued outstanding accounts. Price reductions due to defects and set-offs due to compensation for damage have to be set off against any part of the outstanding accounts not assigned to us. In as much as the purchaser has agreed to a preferred partial assignment in favour of other trade creditor, this section shall apply with the purpose, that the purchaser may collect the partial outstanding accounts ceded to us jointly with the preferred partial outstanding accounts.

5. Purchaser shall be obliged to inform us without delay of any third party's execution enforced on the reserved goods and shall instruct such third party about their being our property.
6. If purchaser is in default - such as delay of payments - we shall be entitled to request a temporary surrender of the reserved goods without granting a grace period, and at purchaser's expense - in handing over or dispatching the goods to us - or possibly requesting assignment of purchaser's rights of recovery towards any third party. Such surrender or seizure of the preferred goods to and by us does not imply contract withdrawal. This section shall also apply if a serious deterioration of the purchasers' assets become evident.
7. Upon purchaser's request we agree at our own discretion to release the above collateral securities, in as much as the amount exceeds the value of our claim to be secured by more than 20 %.
8. Purchaser shall also cede to us its claims to secure our claims against purchaser, which due to the connection of the purchased matter with a piece of real estate will be raised against any third party.
9. We shall be entitled to insure the reserved goods against all risks of any kind at purchaser's expense, unless upon being requested by us, the purchaser submits evidence of a respective insurance policy. Any part amount owing to us claimed and paid out of this insurance shall be ceded to us in advance when entering into any respective contract. We shall be entitled to inform the insurance company of such cession.

Section IV Delivery and Lead Time

1. Unless any deviating specification is to be found in the order confirmation, delivery shall be "ex works" e.g. "ex warehouse". The risk of loss or damage of the goods shall pass to the purchaser as soon as the goods have been handed over to the haulage contractor, latest when they are removed from our warehouse.

This holds also true if "carriage or freight paid" has been agreed, and in case of partial deliveries or if any additional services of some other kind have been performed out by us.

2. Insurance of the goods against any transport risks shall take place only upon purchaser's express request and at purchaser's costs.
3. Delivery quoted by us shall commence only when all technical details have been clarified and will not be binding, unless a commercial transaction at a fixed date has been expressly agreed. Lead times shall commence upon receipt of our order confirmation. Date of delivery shall mean receipt of the goods in the home country.
4. To an extent reasonable for the purchaser, we shall be free to carry out partial deliveries.
5. We shall be entitled to delay or cancel delivery expected from us or to reduce the amount delivered if we are prevented from or hindered in or delayed through any circumstances beyond our control as for instance strikes, lock-outs, transport obstacles, shortage or out of stock of raw materials, measures taken by public authorities – also experienced by our suppliers – during any period such as force majeure, conditions will subsist. Damages – as far as legally permissible – may not be claimed under these conditions.
6. If purchaser suffers any damage due to any delay caused by us, purchaser shall be entitled to compensation. Such entitlement shall be justified if we have not observed a given a period of grace granted by the purchaser to remedy any defects. The compensation amount shall be a maximum of 1% per week, but not more than 5% in total, of the delayed part of the overall shipment which has not been available in time. Any further claims shall be excluded, unless the delay is due to at least gross negligence.
If purchaser delays acceptance of the goods or violates any other of its duty to cooperate, we shall be entitled to request purchaser to remunerate any damage suffered by us including any possible additional costs. In this case the risk of loss or damage of the purchased goods will devolve to the purchaser, as soon as purchaser is in delay of acceptance of the goods.
7. Should the customer require a Proof of Delivery (POD) on the ordered goods, they will be required to pay a handling fee, provided that the goods were delivered to the consignee in accordance with the given instructions. A POD can only be requested by the customer within the usual retention period for the corresponding documentation of the haulier or carrier engaged. After this period the delivery requirements will be deemed to have been met.

Section V Warranties and Limitation of Liabilities

1. Warranties are based on the proviso of tests and requirements to give notice of defects pursuant to §§ 377, 378 of the German Commercial Code which have been carried out and complied with.
2. If any defect in the purchased product becomes evident, we shall be entitled either to remedy the defect or to replace the defective product delivered.
3. If we are not prepared or not able to remedy the defect /replace the defective product, or if due to any deficiency on our part such remedy is delayed beyond a suitable time, or if such remedy/replacement will miscarry for some reason or other, the purchaser shall have the option to withdraw from contract or to claim a respective reduction of the purchase price.
A reimbursement of expenses is excluded, insofar as the expenditure arises, due to the goods being brought to a different place following our delivery, unless this is required for the agreed use of the goods.
4. Unless in the following sections nothing to the contrary will be defined, any further purchaser's claims shall be excluded - irrespective of any legal reasons whatsoever. For any damage not incurred on the delivered product itself, we shall not be liable. Neither shall we be liable for any losses suffered in purchaser's profits or property.
5. The limitation of claims for material defects, should nothing else be agreed, is guided by the law.
6. The customer's legal right to make a claim for compensation against us arises only when the customer has not reached an agreement with his purchaser that goes beyond his statutory rights. Clause 3 of the last sentence is additionally valid concerning the extent of the claims for compensation.
7. The above release from liability shall not apply if the cause of damage is due to intentional or gross negligence (except if the damage was

incurred due to the gross negligence of a person employed in performing an obligation or by any vicarious agent, or the damage is based on the violation of a major contractual obligation).

Neither shall it apply if the purchaser, due to the absence of an assured property of the product shall raise claims because of non fulfillment as laid down in §§ 463, 480 section 2 of the German Civil Code. Furthermore, the obligation to render compensation / liability to pay damages shall be limited to the damage likely to be expected.

Section VI Joint and Several Liability

1. The limitation or exclusion of liabilities for compensation of damage referred to in section V shall apply in like manner to all claims due to default in contract conclusion, violation of subsidiary duties, in particular to claims arising out of producer's liability as set out in § 823 of the German Civil Code.
2. The regulation specified in section VI. 1 shall not apply to claims according to §§ 1.4 of the product liability law. Neither shall it apply to cases of initial incapacity or evident impossibility.
3. In as much as our liability is excluded, such an exclusion also applies to the personal liability of our staff, employees, agents and vicarious agents.
4. Any deviation in technology or construction of descriptions or specifications in sales literature, catalogues, and written documentation as well as any changes in prototypes, constructions, and materials, made in the course of technical progress, shall be reserved, without any interpretation of rights being permissible against us, in as much as this will still be acceptable to the purchaser.

Section VII Place of Performance, Legal Venue, and Applicable Law

1. Place of performance for our deliveries ex works shall be such selfsame works, if delivered ex warehouse, it shall be such selfsame warehouse. Place of performance for payments shall be Gnarrenburg.
2. Place of jurisdiction for all payment matters and any other disputes arising directly or indirectly from this contractual relationship is Hamburg. We reserve the right however to take legal action against the purchaser at his general place of jurisdiction. Hamburg shall be the exclusive legal venue for any across border deliveries for all litigations arising from the contract relationship.
(Art. 17, EU-GVÜ).
We reserve the right to invoke any other competent EU-GVÜ court.
3. For all business relationships and all legal relationships between the purchaser and us, solely the law of the Federal Republic of Germany shall apply.
The uniform law concerning the international purchase of movable objects (EKG), as well as the United Nations Convention regarding international contracts on the purchase of goods (CISG) shall not apply.

Section VIII Severance

If any of the above provisions shall be or become void or unenforceable, the validity of the remaining ones shall remain unaffected. Any voided or unenforceable provision shall be replaced by a provision reflecting as closely as possible the economic purpose and the reasonable safeguarding of the mutual interests of the contracting parties.

Brilliant Aktiengesellschaft (PLC)
issued November 2007

Verkaufs- und Lieferbedingungen

(ausgenommen Russland)

I. Allgemeines / Geltungsbereich / Angebot

1. Unsere Verkaufs- und Lieferbedingungen gelten ausschließlich; entgegenstehende oder von unseren Verkaufs- und Lieferbedingungen abweichende Bedingungen des Käufers erkennen wir nicht an, es sei denn, wir hätten ausdrücklich schriftlich ihrer Geltung zugestimmt.
Unsere Verkaufs- und Lieferbedingungen gelten auch dann, wenn wir in Kenntnis entgegenstehender oder von unseren Verkaufsbedingungen abweichender Bedingungen des Käufers die Lieferung an den Käufer vorbehaltlos ausführen. Einem Abtretungsverbot in Bedingungen des Käufers wird ausdrücklich widersprochen.
2. Alle Vereinbarungen, die zwischen uns und dem Käufer zwecks Ausführung des Vertrages getroffen werden, sind schriftlich niederzulegen.
3. Unsere Verkaufs- und Lieferbedingungen gelten auch für alle künftigen Geschäfte mit dem Käufer.
4. Unsere Angebote sind freibleibend und unverbindlich. Auf Bestellungen hin kommen alle Verträge erst mit Zugang unserer schriftlichen Auftragsbestätigung, spätestens mit Übergabe der Ware, zustande. Bestellungen können wir innerhalb von vier Wochen annehmen.

II. Preise / Fracht / Zahlungsbedingungen

1. Die Preise verstehen sich netto zuzüglich Mehrwertsteuer und Fracht ab Werk oder Lager; es sei denn, es ist ausdrücklich und schriftlich etwas anderes vereinbart. Bei Aufträgen über einem Warenettowert von Euro 750,- (DM 1.466,87) verzichtet Brilliant AG auf die Geltendmachung der Fracht. Bei einem Warenettowert von Euro 750,- (DM 1.466,87) oder weniger berechnet Brilliant AG im Inland pauschal eine Frachtrate von 7% des Warenettowertes, mindestens jedoch Euro 12,50 (DM 24,45).
2. Die Zahlung des Kaufpreises hat innerhalb der vereinbarten Frist, mangels anderer Vereinbarungen innerhalb von 10 Tagen ab Rechnungsdatum mit 3 % Skonto oder 30 Tagen netto zu erfolgen.
3. Wechsel und Schecks nehmen wir nur nach vorheriger Vereinbarung und unter Vorbehalt ihrer Diskontierbarkeit entgegen. Sämtliche Diskontspesen gehen zu Lasten des Kunden und sind uns sofort zu vergüten. Eine Gutschrift der Wechsel- und Scheckbeträge erfolgt erst dann, wenn uns der Gegenwert endgültig zur Verfügung steht.
4. Bei Überschreitungen des Zahlungsziels sind wir berechtigt, Verzugszinsen in Höhe von 8% über dem jeweiligen Basiszinssatz gem. § 247 BGB zu fordern. Falls wir in der Lage sind, einen höheren Verzugschaden nachzuweisen, sind wir berechtigt, diesen geltend zu machen. Der Käufer ist seinerseits berechtigt, uns nachzuweisen, dass uns als Folge des Zahlungsverzugs kein oder ein wesentlich geringerer Schaden entstanden ist.
5. Kommt der Käufer bis Fälligkeit seinen Zahlungsverpflichtungen nicht nach oder liegt eine wesentliche Vermögensverschlechterung bei ihm vor, so sind wir berechtigt, die gesamte Restschuld fällig zu stellen, auch wenn wir bereits Wechsel oder Schecks angenommen haben.
Wir sind in dem Fall außerdem berechtigt, Vorauszahlungen oder Sicherheitsleistungen zu verlangen und die Erfüllung unserer Verpflichtung bis zur Vorauszahlung oder Sicherheitsleistung zu verweigern. Wird unser Verlangen binnen einer von uns gesetzten angemessenen Frist nicht erfüllt, so sind wir berechtigt, vom Vertrag zurückzutreten und/oder Schadensersatz wegen Nichterfüllung zu verlangen. Bei Zahlungseinstellung oder Überschuldung des Käufers entfällt die Setzung einer Nachfrist.
6. Die Aufrechnung ist auch dann zulässig, wenn die Forderungen noch nicht fällig sind. Aufrechnungsrechte stehen dem Käufer nur zu, wenn seine Gegenansprüche rechtskräftig festgestellt, unbestritten oder von uns anerkannt sind.
Wegen bestrittener Gegenansprüche steht dem Käufer auch kein Zurückbehaltungsrecht zu.
7. Im Falle des Verzuges mit mehr als einer Verbindlichkeit sind die gesamten Forderungen gegen den Käufer sofort zur Zahlung fällig.
8. Unsere Forderungen sind an die Deutsche Factoring Bank, Bremen, abgetreten.

III. Eigentumsvorbehalt

1. Sämtliche gelieferten Sachen bleiben bis zur Erfüllung aller Forderungen (einschließlich sämtlicher - auch noch nicht anerkannter - Überschussforderungen aus Kontokorrent), die uns aus jedem Rechtsgrund gegen den Käufer jeweils zustehen, unser alleiniges Eigentum. Wird dem Käufer bei Zahlung ausnahmsweise von uns ein „umgedrehter Wechsel“ (Akzeptanten-Wechsel) gegeben, so sichert der Eigentumsvorbehalt auch unsere Rückgriffsansprüche gegen den Käufer bei einer eventuellen Inanspruchnahme aus dem Wechsel.
2. Verarbeitung, Umbildung und Vermischung erfolgen stets für uns als Hersteller, jedoch ohne Verpflichtung für uns. Erlischt unser (Mit-)Eigentum durch Verbindung oder Vermischung, so wird bereits jetzt vereinbart, dass das (Mit-)Eigentum an der neuen Sache im Verhältnis des Rechnungswertes unserer Sache zu denen anderer verarbeitender Waren zur Zeit der Verarbeitung auf uns übergeht. Der Käufer verwahrt unser (Mit-)Eigentum unentgeltlich. Sachen, an denen uns (Mit-)Eigentum zusteht, werden im folgenden als „Vorbehaltsware“ bezeichnet.
3. Der Käufer ist berechtigt, die Vorbehaltsware im ordnungsgemäßen Geschäftsverkehr zu verarbeiten und zu veräußern, solange er mit seinen Zahlungsverpflichtungen uns gegenüber nicht im Verzug ist.
Die Ermächtigung zur weiteren Veräußerung wird ausgeschlossen für den Fall, dass im Verhältnis zwischen dem Vorbehaltskäufer und seinem Kunden ein Abtretungsverbot besteht. Verpfändungen oder Sicherungsvereinbarungen sind unzulässig. Die aus dem Weiterverkauf oder einem sonstigen Rechtsgrund (z. B. Versicherung, unerlaubter Handlung bezüglich der Vorbehaltsware) entstandenen Forderungen (einschließlich sämtlicher Saldo-Forderungen aus Kontokorrent) tritt der Käufer bereits jetzt sicherungshalber an uns ab. Steht uns nur Miteigentum an einer Vorbehaltsware zu, so beschränkt sich die Vorausabtretung auf den Teil der Forderung, der dem Anteil unseres Miteigentums (auf der Basis des Rechnungswertes) entspricht.
4. Wir ermächtigen den Käufer widerruflich, die an uns abgetretenen Forderungen für eigene Rechnungen im eigenen Namen einzuziehen. Diese Einziehungsermächtigung kann widerrufen werden, wenn der Käufer seinen Zahlungsverpflichtungen nicht ordnungsgemäß nachkommt.
Für den Fall eines berechtigten Widerrufs hat uns der Käufer den/die Schuldner der abgetretenen Forderung mitzuteilen und dem/den Schuldner(n) die Abtretung unverzüglich anzuzeigen. Der an uns abgetretene Forderungsteil hat den Vorrang. Dies gilt insbesondere für den Fall, dass der Dritte der dem Käufer erwachsene Forderung Gewährleistungsansprüche entgegenhält.
Minderungen und Aufrechnungen mit Schadensersatzansprüchen sind zuerst auf den uns nicht abgetretenen Forderungsanteil zu verrechnen. Soweit der Käufer eine bevorrechtigte Teilabtretung auch zugunsten anderer Warenkreditgeber vereinbart hat, gilt diese Ziffer mit der Maßgabe, dass der Käufer die uns abgetretene Teilforderung zugleich mit jenen bevorrechtigten Teilforderungen einziehen darf.
5. Bei Zugriffen Dritter auf Vorbehaltsware wird der Käufer auf unser Eigentum hinweisen und uns unverzüglich benachrichtigen.
6. Bei vertragswidrigem Verhalten des Käufers - insbesondere Zahlungsverzug - sind wir berechtigt, die Vorbehaltsware auch ohne Nachfristsetzung auf Kosten des Käufers einstweilen herauszuverlangen - durch Herausgabe oder Rücksendung an uns - oder ggf. Abtretung der Herausgabeansprüche des Käufers gegen Dritte zu fordern.
In der Zurücknahme sowie in der Pfändung der Vorbehaltsware durch uns liegt - soweit nicht das Verbraucherkreditgesetz Anwendung findet - kein Rücktritt vom Vertrag. Die vorstehende Regelung findet auch Anwendung im Falle einer wesentlichen Vermögensverschlechterung beim Käufer.
7. Die vorgenannten Sicherheiten geben wir auf Verlangen des Käufers nach unserer Wahl frei, soweit ihr Wert unsere Forderung um mehr als 20 % übersteigt.
8. Der Käufer tritt uns auch die Forderungen zur Sicherung unserer Forderungen gegen ihn ab, die durch die Verbindung der Kaufsache mit einem Grundstück gegen einen Dritten erwachsen.
9. Wir sind berechtigt, die Vorbehaltsware gegen Gefahren aller Art auf Kosten des Käufers zu versichern, sofern er nicht nach einer entsprechenden Aufforderung durch uns den Abschluss einer derartigen Versicherung nachweist. Ansprüche aus dieser Versicherung werden in Höhe der uns zustehenden Forderungen mit Abschluss des jeweiligen Vertrages im voraus an uns abgetreten. Wir sind berechtigt, die Abtretung dem Versicherer anzuzeigen.

IV. Lieferung und Lieferzeit

1. Sofern sich aus der Auftragsbestätigung nichts anderes ergibt, ist Lieferung „ab Werk“ bzw. „ab Lager“ vereinbart. Die Gefahr des Untergangs oder der Beschädigung der Ware geht in dem Zeitpunkt auf den Käufer über, in welchem wir die Ware an einen Spediteur oder Frachtführer übergeben, spätestens jedoch mit Verlassen unseres Lagers. Dies gilt auch dann, wenn „frachtfrei“ vereinbart worden ist sowie bei Teillieferung oder wenn von uns noch Leistungen anderer Art übernommen worden sind.
2. Eine Versicherung der Ware gegen Transportschäden erfolgt nur auf ausdrücklichen Wunsch und Kosten des Käufers.
3. Der Beginn der von uns angegebenen Lieferzeit setzt die Klärung allertechnischer Fragen voraus und ist unverbindlich, sofern nicht ausdrücklich ein kaufmännisches Fixgeschäft vereinbart wurde. Lieferfristen beginnen mit dem Zugang unserer Auftragsbestätigung. Der Liefertermin bezeichnet den Eingang beim Kunden im Inland.
4. Zu Teilleistungen sind wir in für den Käufer zumutbarem Umfang berechtigt.
5. Wird die von uns geschuldete Lieferung durch unvorhersehbare und von uns unverschuldete Umstände verzögert (z. B. Arbeitskämpfe, Betriebsstörungen, Transporthindernisse, Rohmaterialmangel, behördliche Maßnahmen - jeweils auch bei unseren Vorlieferanten - sowie nicht rechtzeitige Selbstbelieferung), so sind wir berechtigt, ganz oder teilweise vom Vertrag zurückzutreten oder nach unserer Wahl die Belieferung um die Dauer der Behinderung hinauszuschieben. Schadensersatzansprüche sind - soweit rechtlich zulässig - ausgeschlossen.
6. Sollte dem Käufer aufgrund eines von uns verschuldeten Verzuges ein Schaden erwachsen, so ist er berechtigt, eine Verzugsentschädigung zu fordern. Das Recht zur Geltendmachung setzt voraus, dass wir eine vom Käufer schriftlich gesetzte angemessene Nachfrist nicht eingehalten haben. Die Höhe der Verzugsentschädigung beträgt für jede volle Woche des Verzuges maximal 1 %, insgesamt aber höchstens 5 % vom Wert desjenigen Teils der Gesamtlieferung, der infolge der Verspätung nicht rechtzeitig zur Verfügung steht. Darüber hinausgehende Ansprüche sind ausgeschlossen, es sei denn, der Verzug beruht auf zumindest grober Fahrlässigkeit. Kommt der Käufer in Annahmeverzug oder verletzt er sonst die Mitwirkungspflichten, so sind wir berechtigt, von ihm zu verlangen, den uns entstandenen Schaden einschließlich etwaiger Mehraufwendungen zu ersetzen. In dem Fall geht auch die Gefahr eines zufälligen Untergangs oder einer zufälligen Verschlechterung der Kaufsache in dem Zeitpunkt auf den Käufer über, in dem dieser in Annahmeverzug gerät.
7. Verlangt der Käufer einen Liefernachweis für bestellte Ware, hat er die Nachforschungsgebühren zu tragen, sofern die Ware ordnungsgemäß beim Empfänger abgeliefert wurde. Diesen Nachweis kann der Käufer nur innerhalb der üblichen Aufbewahrungsfrist der entsprechenden Dokumente beim beauftragten Spediteur oder Frachtführer verlangen. Nach Ablauf dieser Frist gilt die Lieferungsleistung als erbracht.

V. Gewährleistungen und Haftungsbeschränkungen

1. Gewährleistungsansprüche setzen voraus, dass die Untersuchungs- und Rügeobliegenheiten der §§ 377, 378 HGB beachtet wurden.
2. Soweit ein von uns zu vertretener Mangel der Kaufsache vorliegt, sind wir nach unserer Wahl zur Mängelbeseitigung oder Ersatzlieferung berechtigt.
3. Sind wir zur Mängelbeseitigung/Ersatzlieferung nicht bereit oder in der Lage, insbesondere verzögert sich diese über angemessene Fristen hinaus aus Gründen, die wir zu vertreten haben, oder schlägt in sonstiger Weise die Mängelbeseitigung/Ersatzlieferung fehl, so ist der Käufer nach seiner Wahl berechtigt, vom Vertrag zurückzutreten oder eine entsprechende Minderung des Kaufpreises zu verlangen. Eine Kostenerstattung ist ausgeschlossen, soweit die Aufwendungen sich erhöhen, weil die Ware nach unserer Lieferung an einen anderen Ort verbracht worden ist, es sei denn, dies entspricht dem bestimmungsmäßigen Gebrauch der Ware.
4. Soweit sich nachstehend nichts anderes ergibt, sind weitergehende Ansprüche des Käufers - gleich, aus welchen Rechtsgründen - ausgeschlossen. Wir haften deshalb nicht für Schäden, die nicht am Liefergegenstand selbst entstanden sind. Insbesondere haften wir nicht für entgangenen Gewinn oder sonstige Vermögensschäden des Käufers.
5. Die Verjährung der Sachmängelansprüche richtet sich, soweit nichts anderes vereinbart ist, nach dem Gesetz.

6. Gesetzliche Rückgriffsansprüche des Käufers gegen uns bestehen nur insoweit, als der Käufer mit seinem Abnehmer keine Vereinbarungen getroffen hat, die über die gesetzlichen Mängelansprüche hinausgehen. Für den Umfang der Rückgriffsansprüche gilt ferner Ziff. 3 letzter Satz entsprechend.
7. Vorstehende Haftungsfreizeichnung gilt nicht, soweit die Schadensursache auf Vorsatz oder grober Fahrlässigkeit beruht (ausgenommen, wenn der Schaden durch grobe Fahrlässigkeit eines Erfüllungs- oder Verrichtungsgehilfen verursacht wurde, es sei denn, der Schaden beruht auf Verletzung einer vertraglichen Hauptpflicht). Sie gilt ferner nicht, wenn der Käufer wegen Fehlens einer zugesicherten Eigenschaft Schadensersatzansprüche wegen Nichterfüllung gemäß §§ 463, 480 Abs. 2 BGB geltend macht. Im übrigen ist die Ersatzpflicht auf den vorhersehbaren Schaden begrenzt.

VI. Gesamthftung

1. Soweit gemäß Ziff. V. unsere Haftung auf Schadensersatz ausgeschlossen oder beschränkt ist, gilt dies auch für alle Ansprüche wegen Verschuldens bei Vertragsschluss, Verletzung von Nebenpflichten, insbesondere für Ansprüche aus Produzentenhaftung gemäß § 823 BGB.
2. Die Regelung gemäß Ziff. VI. 1. gilt nicht für Ansprüche gemäß den §§ 1, 4 Produkthaftungsgesetz. Gleiches gilt bei anfänglichem Unvermögen oder zu vertretender Unmöglichkeit.
3. Soweit unsere Haftung ausgeschlossen oder beschränkt ist, gilt dies auch für die persönliche Haftung unserer Angestellten, Arbeitnehmer, Mitarbeiter, Vertreter und Erfüllungsgehilfen.
4. Technische und gestalterische Abweichung von Beschreibungen und Angaben in Prospekten, Katalogen und schriftlichen Unterlagen sowie Modell-, Konstruktions- und Materialänderung im Zuge des technischen Fortschritts bleiben vorbehalten, ohne dass hieraus Rechte gegen uns hergeleitet werden können, soweit dies für den Käufer noch zumutbar ist.

VII. Erfüllungsort, Gerichtsstand und anzuwendendes Recht

1. Erfüllung für unsere Lieferung ist bei Lieferung ab Werk das Lieferwerk, bei Lieferung ab Lager das Lager. Erfüllungsort für Zahlungen ist Gnarrenburg.
2. Gerichtsstand in Zahlungsangelegenheiten und in allen anderen sich aus diesem Vertragsverhältnis unmittelbar oder mittelbar ergebenden Streitigkeiten ist Hamburg. Wir haben jedoch das Recht, den Käufer an seinen allgemeinen Gerichtsstand zu verklagen. Auch bei grenzüberschreitender Lieferung ist ausschließlich Gerichtsstand für alle Streitigkeiten aus dem Vertragsverhältnis Hamburg (Art. 17 EU-GVÜ). Wir behalten uns das Recht vor, auch jedes andere Gericht anzurufen, das aufgrund des EU-GVÜ zuständig ist.
3. Für alle Geschäftsbeziehungen und die gesamten Rechtsbeziehungen zwischen dem Kunden und uns gilt ausschließlich das Recht der Bundesrepublik Deutschland. Die Anwendung des einheitlichen Gesetzes über den internationalen Kauf beweglicher Sachen (EKG) sowie des Übereinkommens der Vereinten Nationen über Verträge über den internationalen Warenkauf (CISG) ist ausgeschlossen.

VIII. Teilunwirksamkeit

Sollten einzelne der vorstehenden Bedingungen unwirksam sein oder werden, so berührt dies nicht die Wirksamkeit der übrigen Bestimmungen. An die Stelle der unwirksamen Bedingungen sollen solche Regelungen treten, die dem wirtschaftlichen Zweck des Vertrages und der angemessenen Wahrung der beiderseitigen Interessen am nächsten kommen.

Brilliant AG
Stand 09/07



Deutschland

Brilliant AG
Brillantstr. 1
D-27438 Postfach 1109
D-27442 Gnarrenburg
Tel.: +49 (0) 47 63 89 0
Fax: +49 (0) 47 63 89 171
Internet: www.brilliant-ag.com
domestic_sales@brilliant-ag.com
international_sales@brilliant-ag.com

Great Britain

Saxby Lighting Ltd.
Belvue House
Belvue Road
Northolt
Middlesex
UB5 5QQ
Tel.: 442 088 454 333
Fax: 442 088 454 334
enquiries@brilliantuk.co.uk

Italia

Brilliant AG Italia
Via Caldera 21
I-20153 Milano
Tel.: 02 40 91 56 71
Fax: 02 40 91 75 50
info@brilliant-ag.it

España

Brilliant Ibérica S.L.
Avenida de Castilla, 1
Oficina 12B
Centro Empresarial Best Point
E-28830 San Fernando de Henares
(Madrid)
Tel.: +34 91 660 11 88
Fax: +34 91 674 31 07
jm.golvano@brilliant-iberica.com

France

Tél.: +33.(0).3.87.95.93.30
Fax: +33.(0).3.87.95.93.32
france@brilliant-ag.com

Benelux

Draaiboomstraat 6 bus 13
B-2160 Wommelgem
Tel. +32 33 55 35 25
Fax +32 33 55 35 26
sales@brilliant-ag.be

Polska

Milant'ex Spólka z.o.o.
Maciej Raczko
ul. Pulawska 108/112
PL-02-620 Warszawa
Tel.: 0 22 8 44 34 41
Fax: 0 22 8 44 34 41
brilliant@milantex.pl

Hellas

Gallis S.A.
3, Lefkados & Artis Str.
GR-18346 Moschato/Athens
Tel.: 02 10 4 83 15 12
Fax: 02 10 4 83 28 59
gallis@acci.gr

Danmark

Brilliant Danmark
Industrivej 22
7490 Aulum
Dänemark
Tel.: 97 47 26 95
Fax: 97 47 14 95
salg@brilliant-ag.dk

Česká republika

LUMMAX CZ
T.Bati 269
760 01 Zlín
Tel: 00 42 577 432 597
Fax: 00 42 577 432 597
lummax@tiscal.cz

Ireland

Paul Brooks
Carraigh Dubh
Ballinacarrig
Ballymoney
IRL-Gorey/Co. Wexford
Tel.: 0 55 213 64
Fax: 0 55 213 59
paulbrooks@eircom.net

Österreich/Schweiz

Brilliant AG
Vertrieb Österreich/Schweiz
c/o ECO ADVICE
Rotenberggasse 1
A-1130 Wien
Tel.: 0043 66 43 07 49 19
Fax: 0043 (0)18 79 90 03 17
w.kugler@brilliant-leuchten.at

Portugal

Brilliant AG
Escritório Portugal
Rua da Matinha no. 27
P-2820-150 Charneca da Caparica
Tel.: 0212 95 17 86
Fax: 0212 95 17 86
brilliant@netcabo.pt

Sverige

Daniel Øgaard
Viksgatan 6B
S-25247 Helsingborg
Mobil: +46 (0) 738 33 71 91
Fax: +46 (0) 42 28 26 66
daniel@brilliant-ag.se

Russia

Brilliant RUS,
Business Center
12, Krasnopresnenskaya nab.
123610 Moscow, Russian Federation
Mobil: +7 495 258 19 18
Fax: +7 495 253 90 95
Brilliant-RUS@brilliant-ag.com